Seeing the World through Digital Prisms:

Psychological Implications of Passthrough Video Usage in Mixed Reality

Jeremy N. Bailenson¹, Brian Beams¹, James Brown¹, Cyan DeVeaux¹, Eugy Han¹, Anna C. M. Queiroz¹, Rabindra Ratan², Monique Santoso¹, Tara Srirangarajan³, Yujie Tao⁴, and Portia

Wang⁵

¹Department of Communication, Stanford University

²Department of Communication, Michigan State University

³Department of Psychology, Stanford University

⁴Department of Computer Science, Stanford University

⁵Department of Management Science and Engineering, Stanford University

In Press, Technology, Mind, and Behavior

Author Notes

This work is unfunded, and the authors have no conflict of interest. There is no quantitative data to have used prior, or to share. Corresponding author is Jeremy Bailenson,

bailenson@stanford.edu. Authorship order after the first author is alphabetical.

Abstract

Millions of people will soon be spending hours each day relying on cameras and screens to show them the surrounding world. Apple, Meta and other companies are mass-producing headsets that block out light from the real world, and instead rely on passthrough video as an enabling technology for mixed reality. The 11 authors on this paper each spent a number of hours wearing these headsets in public and in private, with the goal of documenting experiences in passthrough to then organize and review previous research that will help research scholars, industry leaders, and other organizations better understand psychological consequences over time. First, we describe why passthrough will become an essential component of the media landscape. Next, we summarize the technological specifications which make new passthrough headsets stand out from previous ones, but are still lower fidelity compared to human vision on parameters such as field of view, distortion, latency, and resolution. Next, we review relevant previous psychological research. We conclude that the passthrough experience can inspire awe and lends itself to many applications, but will also likely cause visual aftereffects, lapses in judgments of distance, induce simulator sickness, and interfere with social connection. We recommend caution and restraint for companies lobbying for daily use of these headsets, and urge scholars to rigorously and longitudinally study this phenomenon.

Mixed Reality (MR) headsets create immersive experiences designed to spatially integrate virtual content into the physical world (see Milgram & Kishin, 1994, for a discussion of the spectrum of virtuality, and Lanier, 2017, Skarbez et al., 2021 or Rauschnabel et al. 2022 for more recent discussions of terminology). The newest headsets rely on passthrough video. While using passthrough, a person does not see light from the real world, but instead relies on stereoscopic, color, high resolution, low latency, real-time video of the world which is displayed on small screens inside a headset. There have been thousands of studies in psychology, communication, and human-computer interaction which study human behavior in MR, but that research has tended to focus specifically on the virtual content. In this paper, we focus on the use of passthrough video itself, as opposed to the augmented virtual content (see Rolland, Holloway & Fuchs, 1995, for an early example of psychological experimentation on passthrough). Simply put, there is a dearth of research focusing on passthrough as a medium one uses to perform everyday activities while viewing and navigating the real world. Because the newest headsets are light, the cameras and screens are high quality, and the overall system latency is low, passthrough can now be easily used for hours at a time, indoors and outdoors. This change in the temporal nature of passthrough usage necessitates careful consideration of this technology's implications.

Before writing this paper, the 11 authors had ample research, work, and demonstration experience across many passthrough headsets, including the Apple Vision Pro, the Quest Pro, the Quest 3, the Varjo XR-3, and various Night Vision Goggles. As a group (8 female, 3 male, identifying sometimes in multiple categories as 6 Asian or Asian American, 2 Black or African, 1 Hispanic or Latino/a, 1 Native Hawaiian and Pacific Islander, 5 White or European) we designed an IRB-approved protocol to develop a systematic and shared understanding of this technology. We each spent approximately 140 minutes over two or three sessions in passthrough using the Meta Quest 3, resulting in 30 total sessions. Some activities were performed by most



Figure 1: A sample of activities experienced through passthrough by the authors. Eating a meal is strange due to distortion of the food (a). In public, people in the background seem less present (b). Motor tasks such as pressing a button in an elevator become challenging (c). A closely supervised author rides a bike while wearing the Meta Quest 3 (d). Changes from bright to dark scenes are particularly jarring (e) and (f).

participants, such as estimating the distance between themselves and another person in the room, but for the most part, participants chose from a menu of suggested activities including walking outdoors, playing games, engaging in a conversation, eating or cooking. In order to ensure safety, there was always a chaperone present who was not wearing a headset.

Our goal was to leverage the expertise of this group in order to explore the trials and tribulations of this technology. Because we have access to a wide variety of up-to-date hardware, understand how to implement protocols that ensure physical and psychological safety, and have the technical expertise to quickly find the edge-cases in which technology fails, we are a unique group to explore this medium. In this paper, we use these informal field notes (which are *not* quantitatively proven scientific evidence) throughout the paper as we organize and review past literature that relates to the psychological implications of experiencing passthrough via headsets for hours each day.

We first describe why passthrough will become an essential part of the media landscape as the basic architecture of future MR. Next, we summarize the technological specifications which, on the one hand make the Apple Vision Pro and Meta Quest 3 headsets stand out from past implementations, but on the other hand fall short of typical human vision. Next, we review previous research that has explored passthrough and similar technologies. Finally, we make recommendations to scholars for areas of future research, to consumers for considering downsides of this technology, and to technology companies for adjusting their user guidelines.

An Inflection Point for Passthrough

Technology companies in Silicon Valley are investing heavily in MR. Leading the push is Meta, whose products are used by almost half of the global population (Dixon, 2023) and Apple, the first company to hit a market cap of 3 trillion dollars and whose products are also used by billions (Leswing, 2023). Meta has sold approximately 20 million MR headsets (Lang, 2023), and has invested around 50 billion dollars on MR (Hoium, 2023). Apple is set to release its first headset in February 2024. Both companies are positioning MR as a medium for entertainment, communication and work, eventually replacing phones and computers. For example, Apple states on its Vision Pro webpage that the headset "is designed for all-day use" (Apple, 2023), and when announcing the release date, Tim Cook posted on social media that "the era of spatial

computing has arrived" (Cook, 2024). Meta literally changed their company name from Facebook to celebrate this product, and is following a similar strategy for daily use, partnering with Microsoft to offer hours-long work and productivity-related experiences in MR (Sutrich, 2023).

While the companies have different visions–Apple is focusing more on seated computing done in-headset, while Meta has focused on active gaming and fantastical virtual worlds, there is little doubt they are competing to be the leader of MR (Egliston & Carter, 2022). Whether or not MR becomes ubiquitous, or a commercial success, remains to be seen, but there is little doubt that millions of people will be involved in this real-time experiment. To date, as shown below in Figure 2, two canonical types of MR displays have since emerged: video see-through display and optical see-through display.

With most previous MR headsets, users could see digital content juxtaposed onto the real world. Those devices used *optical-see through* technology, where content was projected onto a transparent lens that allowed them to see light from the physical world. In other words, it was as though they were wearing normal reading glasses, but a small portion of the lens showed digital content. But passthrough is fundamentally different, as the left panel in Figure 2 demonstrates. A person wearing a modern passthrough MR must instead rely on stereoscopic, color, high resolution, low latency, real-time video of the world.



Figure 2: An illustration and example (Quest 3) of passthrough video in Column A, which doesn't allow the user to see any actual light from the real world, and an illustration and example (Hololens 2) of optical see-through in Column B, which has typically been the norm for commercial MR headsets. Schematic illustrations based on Doughty et al., 2022.

Up until 2023, optical see-through displays have dominated the commercial AR and MR market, featuring products such as *Hololens 1* (2016), *Hololens 2* (2019), *Google Glass 2* (2019), *Magic Leap 1* (2018), and *MagicLeap 2* (2022). However, optical see-through displays suffer from several limitations that prevent them from being usable for everyday tasks. First of all, they tend to have small fields of view for digital content (Doughty et al., 2022), akin to holding a piece of printer paper horizontally at arm's length and viewing the virtual layer of the world only through that small window. Hence, the interactive experiences are constrained and unnatural. Second, optical see-through displays generate digital images by integrating rendered with ambient light from the real world, resulting in altered color perception. Notably, white

appears more luminous, while dark colors seem transparent (Microsoft, 2022; Kruijff et al., 2010), posing particular challenges to scenes that include people with dark skin (Peck et al., 2022). Third, the real world is much richer–more colorful, detailed, and spatially nuanced–than virtual content. Hence it is difficult to seamlessly combine the real and virtual content with optical see-through.

To solve these technological challenges, many technology companies have pivoted away from optical see-through in favor of passthrough. This strategy has been successful. For example, the passthrough capability of Meta Quest 3 (Oliver, 2023) has a much larger field of view than current commercial optical see-through headsets. Similarly, passthrough improves the integration of digital and real world content, both of which are digital in these systems, and can be combined at the pixel level (Zheng et al., 2014; Li et al., 2022). As an example of an experience that wouldn't be possible with previous optical see-through systems, passthrough MR headsets can delete large areas of the real world (as opposed to augment it, a concept explicated by Cheng et al., 2022). One of the most popular games on the Meta Quest 3 encourages users to slowly dismantle the walls in their physical room by using a gun that replaces passthrough video data with renderings of an "outdoor" virtual scene beyond the walls, one blast at a time (Meta, 2023b).



Figure 3: Screenshots of the Meta Quest 3 mixed reality game First Encounters, showing a virtual outdoor scene that can only be seen by "deleting" the walls of a physical space. The left image shows a small virtual opening which was possible in previous optical-see-through headsets, whereas video passthrough can allow for a wider field of view (image credit: Meta Platforms, Inc.)

Technological Features of Passthrough

Headsets that utilize passthrough do their best to replicate the sights from the real world, but of course none are equal to actual human vision. In this section we discuss various features one can use to contrast passthrough with actual vision, and use two headsets as examples–the Meta Quest 3 and a monocular night-vision system used by the military. In general, no single headset can maximize every parameter due to cost, weight, and optical physics, and we have chosen these two as a way for readers to understand the necessary tradeoffs among the technological features in passthrough systems.

Many readers have heard the phrase "tunnel vision," which means seeing only a small portion of the surrounding world. *Field of view* is the term used to quantify the observable world an individual can see when using a head-mounted display without head motion. As Figure 4 demonstrates, both headsets are narrower than natural vision. Reducing the field of view can produce negative psychological outcomes, for example impeding spatial understanding of a scene (Masnadi et al., 2021) or decreasing how present people feel in an experience (see



Figure 4: Field of view comparison of the Meta Quest 3 and OPSIN DNVM1 Night Vision Goggles to the human visual field. (a) shows comparison of horizontal (side to side) field of view. (b) shows comparison of vertical (up and down) field of view.

Cummings & Bailenson, 2016, for a review of early research). Seeing the world through a clipped window can be challenging.

Sometimes headsets intentionally sacrifice one dimension in order to maximize another (Warburton et al., 2023). Night Vision goggles used by the military often reduce field of view in order to provide images to the eye as fast as possible. *Latency* is typically operationalized as the amount of time required for a digital display to update given a user's head motion. When latency is high, the world seems a step behind. Under optimal conditions, the passthrough on the Quest 3 has a latency of about 12ms, and the night vision goggles are a few milliseconds less than that. These values are just above what is noticeable to the human eye (Ng et al., 2012; Ellis et al., 2004).

Similarly, headsets fall short of vision on resolution. While of course real world objects are not made of pixels, pixels can be used to measure physical distance (Jeong, Kim, Xu & Miller, 2021) and vision scientists use *Pixels-Per-Degree* (PPD) to measure visual acuity. A person with

20/20 vision has a value of 60 at the fovea (Kalloniatis & Luu, 2007; Tan et al., 2018). The night vision goggles were designed to maximize resolution, with a value just under 50, while the limitations of the cameras on Meta Quest 3 force it to be much lower, about 18 PPD. Other headsets, such as the Apple Vision Pro, have chosen to increase PPD at the expense of other features such as field of view, given many of the applications featured involve reading small text.

But one of the most critical issues with passthrough headsets is *distortion*. Anyone who has spent time in a museum's hall of mirrors that make people appear taller, thinner, or curvier understands this concept. Passthrough distortion occurs for a number of reasons, including the curvature of the small screens inside the headsets, the algorithmic process of integrating multiple camera streams, and dynamic adjustments of lighting and focus. When distortion occurs, straight edges appear curved, and the distance between objects appears compressed or expanded. Because wearing passthrough technology involves seeing the world through a small number of cameras, there is often a discrepancy between the location of a user's real eyes and the location of the camera display (Rolland et al., 1995). Of course, there are algorithms that minimize distortion (e.g., Chaurasia et al., 2020; Xiao et al., 2022). However, like all dimensions discussed in this section, there are tradeoffs. In order to maintain a low latency, the distortion correction must be quick and efficient, and hence imperfect.



Figure 5: A screenshot showing distortion from the Meta Quest 3 as a user puts their hand in front of their face while looking at an image on a wall in the room or at a metal gate. Lines in the image and shelves on the gate are straight in the real world. This image was not a one-time anomaly; straight edges from tables and walls often became curved during the many hours that the group of authors of this paper have spent experiencing passthrough.

In summary, while the technology improves with every new headset and software update, passthrough falls far short of the human visual system—they are slower, grainier, and distorted, and cut off a large chunk of one's field of view. In the following section, we discuss parallels between the rich history of perceptual studies using prism glasses and critical considerations related to passthrough.

Summary of Research that Directly Tests Passthrough

There have been many technical implementations of passthrough over the past three decades and a few dozen user studies, most of which tend to be exploratory in scope with small samples. The Appendix summarizes the bulk of these studies. Our search procedure consisted of completing keyword searches in research databases such as *Google Scholar* and the *ACM Digital Library*. Search terms consisted of a combination of words associated with passthrough, including "passthrough," "video see-through," "VST," "video passthrough," "augmented reality," and "mixed-reality." As seen in the Appendix table, the studies largely focus on human factors

configurations, perceptual judgments such as distance estimation, and judgments of realism of objects and self-avatars. In this section, we selectively focus on aspects of previous work that were salient based on our field notes from using passthrough.

Distortion

In our field notes, we experienced consistent video distortion, which was rare when standing perfectly still. But when rotating our heads or moving our bodies, stationary objects regularly appeared to move, sometimes stretching by about fifteen percent of their actual size. Walls appeared inflated or deflated. Objects placed very close to a user's face—for example a fork coming towards one's mouth--became particularly oversized. When objects moved, or people were passing by on a bicycle, they would sometimes disappear and seem to teleport from one location to the next. This was particularly taxing when participants performed activities that required concentration, such as drawing, due to warping of lines, edges, shapes, and sizes. We also often experienced distortion in colors and lighting. Sometimes colors appeared more muted, less vivid and saturated, with a lower contrast, while at other times colors appeared more distinct and vibrant than usual. These dynamic changes in color often resulted from head movements. Abrupt changes in lighting sometimes carried over to distortion of objects—for example, flipping on and off a room light could cause a box to stretch its size.

Previous work has documented how these artifacts hinder the user's ability to compute spatial information such as path trajectories, depth, speed, and accuracy in passthrough environments (Lee & Park, 2020). Park and colleagues (2008) compared users' hand-eye coordination over a range of fifteen passthrough camera positions that varied in depth and height displacements (i.e., the cameras outside the headset were intentionally displaced). Subjects performed four different tasks, such as tracing lines on a touch screen and screwing wingnuts on an assembly board, while using video passthrough that varied in terms of the camera's height and depth displacement from the user's natural eye position. Results showed that when the cameras were higher than the natural eye position, task performance suffered.

However, mismatches in depth had the opposite effect; by expanding the natural distance between the eyes by 35mm, inducing an exaggerated stereo, participants were able to improve motor task performance. Distortion has also been shown to produce nausea, oculomotor discomfort, and disorientation (Moss et al., 2011). Moreover, this distortion from passthrough can impact the perception of one's own body, by inducing the feeling that certain body parts are mislocated (Lee et al., 2013).

The distortion from passthrough causes the user to adapt to the system (i.e., sensory rearrangement, Biocca & Rolland, 1998; Rolland et al., 1995). This adaptation also leads to *aftereffects* which carry over into the real world. In an early study, Biocca and Rolland (1998) explored whether people adapted to visual displacement in passthrough and what the aftereffects were after removing their headsets. Participants completed multiple trials of a pointing accuracy task and a pegboard task, both with and without their assigned headset type, and repeated certain tasks before and after wearing their headsets. Results indicated that performing these hand-eye coordination tasks took 43% longer when wearing the passthrough headset compared to the control condition. Moreover, motor aftereffects emerged afterwards, such that participants continued to overshoot finger positions in a pointing task after they had taken the headsets off.

Distance Estimation

In our field notes, people struggled to accurately judge distances, especially during spatial tasks such as catching a ball or placing pieces into a jigsaw puzzle. These effects were more pronounced when trying to understand the position of moving people, such as navigating through crowds. Eating was particularly difficult, given how food near one's face appeared larger and closer in passthrough than ground truth in the world, with centimeters mattering when navigating a fork to the mouth. Similarly, a number of fingers struggled to hit buttons in elevators, another context in which small distances make a difference. A common adaptation strategy was to inspect objects at an unnaturally close distance or to use more force to touch

objects than one would normally (i.e., pressing the elevator button harder than intended). Chaperones reported that people tended to move tentatively and slowly while walking.

These anecdotal findings resonate with past research, as one of the most robust psychological findings in the history of AR and VR headsets is distance underestimation, meaning people perceive objects as closer than they actually are (Loomis & Philbeck, 2008). Possible causes include restricted field of view, weight on the head, imperfect depth cues, and rendering quality (see Kelly, 2022, or Creem-Regehr and colleagues, 2023, for a recent review).

Errors in distance judgment also occur with passthrough. In a virtual distance estimation task (Gagnon et al., 2020), underestimation increased with distance. Similarly, Vaziri and colleagues (2017) found that people tend to underestimate distances in passthrough compared to when they were viewing the physical world without any cameras. Pfeil and colleagues (2021) had participants either wear no headset, a passthrough headset, or a stripped-down headset that emulated the reduced field of view of a passthrough headset. Participants engaged in a blind-throwing task in which they first tossed bean bags at targets located 3, 4, and 5m away, then repeated the task with their eyes closed. Results showed that participants underestimated distance in passthrough and were less accurate when the target distance increased.

Simulator Sickness

Our field notes showed that a majority of passthrough sessions caused simulator sickness symptoms, ranging from symptoms of eye strain, nausea, dizziness, and headache. In general, the 11 authors spend a lot of time each week in various MR headsets. For over half of us, who typically do not easily succumb to simulator sickness, to do so is quite notable, especially given that individual sessions were typically less than an hour.

One of the most accepted theories of simulator sickness in HMDs is the sensory conflict theory (Reason & Brand, 1975), under which scholars argue that users may experience sensations of nausea, dizziness, stomach awareness, head fullness, and sweating as a result of mismatches between the visual system, vestibular system, and nonvestibular proprioceptors.

There are several factors that contribute to simulator sickness, related to the user, such as age and gender; related to the experience, such as the locomotion type and duration of the content; and related to the system, such as field of view, latency, and resolution (Saredakis et al., 2020). Simulator sickness changes with experience (for a review, see Adhanom et al., 2022); short exposure to the same VR application on two separate days can reduce simulator sickness by 35-40% over time (Palmisano & Constable, 2022; Risi & Palmisano, 2019), with continued reduction over several subsequent exposures (Howarth & Hodder, 2008).

Scholars have attempted to understand and address simulator sickness in passthrough, such as through compensating latency through novel reprojection techniques (Freiwald et al., 2018), using a fisheye lens to expand peripheral view and allowing for an undistorted central field of view (Orlosky et al., 2014), and evaluating how people adapt to simulator sickness over time (Kim et al., 2014).

In sum, as seen in the Appendix, researchers have explored how various features of passthrough impact people's perception and cognition, largely focusing on low-level, perceptual, and motor outcomes such as reaching, pointing, and throwing. In the next section, we review other areas of research which are related to passthrough, but peripherally.

Summary of Related Research that Informs Passthrough

Social Presence

In the context of MR, scholars often study *social presence*, which was initially conceptualized as the experience of emotional and psychological closeness between people during mediated communication (Short et al., 1976), or more recently as the level of perceptual salience of other social actors as "real" (for a review, see Cummings & Wertz, 2022; Oh et al., 2018). Many scholars have studied how technological features of media technology have impacted social presence (Biocca, 1997; Biocca et al., 2003; Lee, 2004; Moser et al., 2020).

But presence in MR can trade off with feelings of social connection to people physically co-located with those wearing the headsets, which we describe as *social absence*. In 2019, Miller and colleagues (2019) published a paper showing how using optical see-through via the Microsoft Hololens impacted social interaction. Dyads who hadn't previously met interacted face-to-face, with one of them wearing the Hololens, an optical see-through headset. We intended to study the "glasshole" effect (Due, 2015), that people have negative reactions to others wearing headsets in public. But in that study, instead of negative backlash toward headset users, we found something unexpected–across multiple dependent variables, participants within each dyad *who wore the AR headset* during the social interaction reported feeling significantly less connected to their partners than participants who were not wearing the headset.

In our field notes, social absence was common–people in the real world simply felt less real. Especially for strangers, people appeared distant and blended into the background. Moreover, the limited field of view literally caused people around us to be invisible, which is disconcerting when out in public as we are used to seeing people when they are in our periphery. Being in public could sometimes feel more like watching TV than interacting face-to-face. It was often embarrassing to interact with strangers while wearing a headset.

Moreover, because a user's eyes are not visible while wearing the Meta Quest 3 headset, others in the room have less reason to look at a user's face. This lack of eye gaze can be especially disconcerting when a user is speaking. Some of us developed compensation strategies by placing a greater emphasis on verbal communication and nonverbal cues such as nodding (similar to findings in VR by Moustafa and Steed, 2018). Note that both Meta and Apple have proposed technological solutions by allowing the eyes to be visible through the headset (e.g., Matsuda et al, 2021).

Longitudinal Headset Research

The explicit goal of Meta and Apple is to have people using passthrough headsets for hours per session on a daily basis. In the studies listed in the Appendix, not a single participant wore a passthrough headset for even one hour during experimental sessions. The psychological impacts of wearing passthrough for months is unquestionably different than wearing it for minutes. While there is a lack of research focusing on passthrough longitudinally, some scholars have examined behavior over time in other implementations of MR. This work underscores that observations gathered from a single or few sessions are not representative of real media use. Once people adapt to new systems and are no longer uncomfortable with the novelty of the technology, scholars can gain a more accurate picture of how the system shapes people's behaviors and attitudes (see Han et al., 2023 for a review).

Starting in the 1990s, Thad Starner, a professor at Georgia Tech, designed and wore an AR headset on a daily basis for over a decade. He used it to check the internet and to take notes during face-to-face conversations. Starner used AR as a research tool, but it also became a tool he relied on in his daily life (Stevens, 2013). Steve Mann, a professor at the University of Toronto, similarly augmented his vision with computing for decades, and discovered some of the hazards of AR. He often received negative backlash, and even was assaulted by people who tried to rip the headset off his head (Buchanan, 2013). These hazards were compounded by the physiological aftereffects that occurred when he was forced to remove the headset. For example, after one occasion where his device was forcibly removed at an airport, he fell down twice and ended up needing a wheelchair. Studying early adopters in MR allows scholars to gain insights into future use at scale by the general public (e.g., Foxman, 2018). And some early adopters are already becoming "superusers"; a 2023 survey of 5,600 U.S. teens revealed that 4% of headset-owning teens use VR every day (Piper Sandler, 2023).

A handful of scholars have engaged in similar research strategies in VR by placing themselves in headsets over time, though due to the constraints on running experiments the time range tends to be days not years. Steinicke and Bruder (2014) conducted a 24-hour VR

session with breaks, noting simulator sickness and presence did not diminish over time, with extensive movement contributing to sickness. In addition, Nordahl et al. (2019) exposed two participants to 12 hours of VR use, finding inconsistent simulator sickness patterns but a notable spike after seven hours. However, in a review of the literature, Dużmańska and colleagues (2018) found that the persistence of symptoms after leaving VR varied from 10 minutes to four hours. Researchers also found that visual fatigue symptoms, objective pupil size, and relative accommodation responses varied over time when participants were exposed to VR for 8 hours (Guo et al., 2020).

Longitudinal studies have also explored the effects of VR use over time on depth perception, body offsets, and social interactions. Kohm et al. (2022) conducted a study of VR use over the course of 12 weeks on depth perception and demonstrated adaptation. Results showed that the underestimation of distances diminished with increasing time spent in VR experiences. In another study by Kohm et al. (2022), participants became more effective at object manipulation using proprioception rather than just visual perception over four weeks. Additionally, Bailenson and Yee (2006) found that there was increased task performance abilities, and decreased simulator sickness symptoms over ten weeks. In a recent study, Han et al. (2023) demonstrated that over the course of 8-week VR use, group cohesion, presence, enjoyment, and realism increased significantly over time, and the data measured during the first week was not representative of the final pattern which emerged over time.

To our knowledge, only one study has explored passthrough in a longitudinal manner, by allowing participants to sometimes toggle from full VR to passthrough. Biener and colleagues (2022) aimed to quantify the effects of working in a VR environment for five days, eight hours every day, compared to working in a physical desktop condition. Subjects reported more simulator sickness, negative affect, and frustration when working in VR compared to a desktop computer. They also showed adaptation; participants adjusted to the shortcomings of the headset over time. The consequences of that adaptation remain to be studied–how does

passthrough impact people's perceptual and motor systems, both while wearing passthrough for hours per day and, just as importantly, after they take the headsets off?

Visual Adaptation and Aftereffects

Methodologically, wearing special glasses which alter vision for days at a time is not a new research technique. In 1897, George Stratton spent 87 hours wearing special glasses that literally turned his visual world upside-down. For eight days he was either sleeping, blindfolded to keep all light out from the real world, or wearing the inversion glasses (Stratton, 1897). Despite the initially disruptive effects of wearing the glasses, within a few days his visual system adjusted to the distortion and developed a new perceptual "normal," such that the world looked upright again. He also noticed that this adaptation process was quickly reversible, though removing the glasses resulted in a short period of readjustment.

Consider the more recent work by Fernandez-Ruiz and Diaz (1999). Healthy subjects were instructed to throw clay balls at a small target while wearing prism glasses that induced varying degrees of optical shift. Results revealed that the process of adaptation (i.e., learning how to accurately throw the ball at the target while wearing glasses that made everything look shifted to one side) depended on the number of actual interactions between the visual and motor system (i.e., the number of times throwing the balls).

But the brain must then readjust to adaptation. For example, looking at a very bright light often results in small spots appearing in the visual field. Temporary visual aftereffects have been documented in a variety of contexts (Anstis et al., 1998). Imagine wearing prism glasses that make everything look shifted to the side. At first, when trying to reach for something, you might miss it because your brain is used to your eyes and hands working together in a certain way for your entire life. However, if you keep wearing the glasses, your brain starts figuring out how to make your hands move just right so you can grab things accurately, even though everything looks a bit off. When you take off the glasses, the brain still wants to move your hands as if everything is shifted, resulting in reaching in the wrong direction for a short time.

Prior findings have shown that the degree of the motor aftereffect changes tends to be short, and depends on the degree of optical shift induced by the glasses. The strength of the aftereffect is typically around three quarters of the amount of the original shift induced by prism glasses (Facchin et al., 2019). Moreover, neuroscientific evidence has demonstrated that such visuomotor changes can lead to functional reorganization in the brain, such that cells in the visual cortex that normally only respond to one side of the visual field start to respond to the other side of the visual field too, following left-right inverted prism adaptation (Sugita, 1996; Miyauchi et al., 2004). Overall, experimental work spanning decades has converged on the finding that prism adaptation unfolds at a significantly slower pace compared to the process of returning to the native state, and that the magnitude of the sensorimotor mismatch dictates the dynamics of this timecourse (Efstathiou, 1969; Wahnert & Gerhards, 2022).

Investigations of the adaptive capabilities of the visual system have extended beyond the use of prism glasses. Haak et al. (2014) conducted a study in which subjects wore an altered reality system that removed almost all vertical visual input for four days, such that any vertically-oriented information appeared in much lower contrast than horizontal input. Since weak visual input causes neurons to increase their sensitivity to the deprived orientation specifically, contrast adaptation was measured by two tasks in which subjects either had to match the contrast of two patterns, or adjust the orientations of two patterns to achieve a desired third pattern. Results showed an unexpected decline in adaptation strength after the initial increase, challenging traditional notions that adaptation typically strengthens or is maintained over time (Haak et al., 2014). Other research has shown longer-lasting aftereffects. For example, it is possible to balance out the strength of both eyes in patients with amblyopia (or "lazy eye") through the daily use of an altered reality system, with significant improvement of vision persisting even months after the training intervention (Bao et al., 2018).

Similarly, a study by Bao and Engel (2012) investigated the visual aftereffects of long-term contrast adaptation. In this study, researchers examined the strength and duration of

contrast adaptation using a head-mounted display system which eliminated most vertical visual information for one, four, or eight hours. Depriving subjects of vertical information produced a positive tilt aftereffect, indicating that the component gratings of the test pattern appeared to be tilted toward vertical to the individual, and adaptation and aftereffects both increased with longer exposure. When vision was degraded with lower contrast than the natural environment, people became more sensitive to contrasts. These findings are particularly relevant given our field notes on degraded contrast in passthrough.

A study by Pesudovs and Brennan (1993) explored how people with myopia experienced a decrease in uncorrected vision after two 90-minute sessions of wearing spectacles while focusing on objects at a specific distance. Their findings suggested a sensory adaptation to blur and a complex interplay between visual acuity and refractive error. The intricate dynamics of sensory adaptation and plasticity in the human visual system underscore the importance of understanding both short-term and extended adaptive processes.

Technology companies are not intending for passthrough to introduce visual distortions in the way prism glasses do. However, given all the discrepancies in technological optical features discussed above, there will likely be consequences from temporary adjustments in spatial awareness and hand-eye coordination. In the context of passthrough video in mixed reality, the adaptation and readaptation processes could similarly be dynamic in nature as users alternate between wearing and removing the headset and are eventually able to more easily switch between visual contexts (for a related study using a traditional prism glass approach, see Welch et al., 1993). Scholars need to understand how these perceptual adaptations while wearing passthrough, as well as the resulting aftereffects, will impact walking, talking, gesturing, driving, socializing, and just about every other behavior that involves seeing the world and moving through it.

Looking Forward

Passthrough video will be the norm for MR headsets over the next few years. Whether or not this technology becomes pervasive, or just a flash in the pan similar to three-dimensional television, remains to be seen. Passthrough will enable a number of useful MR experiences, and will allow fully immersed virtual reality users to quickly check-in with the real world without having to remove their headsets. Researchers have also made compelling arguments for clinical use. For example, passthrough should be more effective than corrective eyewear, given that the entire depth range of the real world is displayed on the same focal plane, especially for presbyopes who struggle to focus on nearby objects (IS&T Electronic Imaging Symposium, 2017).

On the other hand, we urge caution to the companies pioneering this industry and invite researchers to examine topics that will help guide development and use of the technology in safe and responsible ways (i.e., Slater et al., 2020). Previous research on prism glasses and long-term headset use suggests that there will be consequences to using passthrough as an everyday medium, and simply put, there has not been any direct research on this topic. Scholars should focus on how passthrough changes affect, cognition, and behavior during use, but also on aftereffects.

For example, there are likely to be developmental issues. According to a 2021 survey, 17 percent of children between the ages of 8 and 18 own a VR headset (Reed & Joseff, 2022) and about one in twenty-five child users are donning headsets every day (Piper Sandler, 2023). While scholars have previously examined developmental issues surrounding MR headset use in children (Bailey & Bailenson, 2017; Pimentel, D., & Kalyanaraman, 2022), to our knowledge there is no research on children's use of passthrough. Meta has recently reduced their minimum age requirements to 10 years old, down from 13.

Apple is explicitly advertising that people can use their headsets "all day long," and their safety guidelines will remain unknown until the official release of the headset. Meta has clear

and useful health and safety guidelines, but they are designed for problems which might occur during use. In other words, they offer specific strategies to avoid collisions and manage simulator sickness, but do not offer insights regarding long-term passthrough usage. Even the safety guidelines encourage extended use, urging users to start with thirty-minute sessions, but then to "increase the amount of time using your Meta Quest gradually as you grow accustomed to the experience." Although Meta acknowledges the distortions in color and space perception in passthrough mode (Meta, 2023a), it is unclear how a consumer should take action on this advice.

One constructive suggestion is to create guidelines for the amount of time people use passthrough each day, and to create schedules that incorporate breaks, take context and location into account, and put other guard-rails in place. Given that these strategies have failed epically with smartphones, we are not optimistic. If Apple and Meta create fantastic MR content that utilizes passthrough, people will most likely use it often.

A more modest suggestion is to provide thorough training and onboarding (see Chauvergne et al., 2023, for a recent review of existing MR protocols). Currently, users only undergo training with the Meta Quest 3 before using it for the first time. More detailed, repeated training would be helpful, especially if designed for people intending to use MR daily. For example, soldiers spend dozens of hours learning how to use night vision goggles before putting them to use in the field, not just one time when they first use the goggles (Fitzgerald, 1996). This training also needs to be refreshed each year and adjusted to desired tasks (e.g., simple movement and communication versus large-scale coordinated operations). Similarly, neurologists and other clinicians who employ prism adaptation tasks as part of their therapeutic practice have specific protocols for how best to minimize motor aftereffects, such as ensuring that patients can see their entire movement from start to finish as they engage in tasks designed to manage visuomotor adaptation (Redding & Wallace, 1996).

We are confident that tech companies will continually improve many of the technical problems raised in this paper, such as distortion, low field of view, and increased latency. For example, the Apple Vision Pro, expected to reach consumers in February 2024, has improved upon some of the problematic features we discussed in relation to the Meta Quest 3. But it is going to take time, and even then, no headset will be perfect. In the meantime, millions of people will walk around, cut off from light from the real world, instead seeing family, friends, cars, pets, and sharp knives through imperfect video.

While physical safety is undoubtedly critical, scholars must also focus on social absence, the phenomenon of MR passthrough users feeling socially disconnected from physically co-present others. Based on past research as well as our field notes, one should not assume that the social presence of other people beamed in via passthrough is equivalent to face-to-face interaction. Reduced social presence has potentially concerning consequences, such as invoking distrust or causing people to become "non-people," to paraphrase the words of Goffman, who asserted that even in the unmediated real world, not all people are perceived as equally present (Goffman, 1959). Researchers should examine these issues carefully, but also note that running longitudinal studies in VR requires a particular expertise and a thorough understanding of the technology's perceptual nuances before experimentation.

This article raises many questions but does not offer many answers. We do provide field notes from our own experiences, but our observations are based on a small sample of passthrough headsets and participants which likely doesn't generalize, namely, experts in VR research who possess a unique ability to find bugs and perceptual inconsistencies. Moreover, in this paper we focused on specific areas of previous research inspired by the field notes, but future work should conduct a formal systematic review of passthrough video research.

We believe that passthrough adoption for nearterm MR use is very likely, but of course there is always uncertainty in predicting the future. It may be difficult to imagine the world portrayed by the movie *Ready Player One*, where everyone emulates George Stratton, Thad

Starner, and Steve Mann, wearing headsets all day long in their public and private lives. Few people can even fathom a norm in which face-to-face interaction becomes largely mediated by passthrough headsets. But the largest technology companies are telling us, very transparently, that they are building this world. We should listen to them.

Acknowledgements

The authors would like to thank Sun Joo Ahn, Jakki Bailey, Gerd Bruder, Max Foxman, David Jeong, Jeffrey Hancock, Mark Roman Miller, Philip Rosedale, Gregory Welch, Gordon Wetzstein, and Andrea Stevenson Won for incredibly helpful feedback on an earlier draft of this paper.

References

- Abbey, A., Porssut, T., Herbelin, B., & Boulic, R. (2021). Assessing the Impact of Mixed Reality Immersion on Presence and Embodiment. *Proceedings of the 14th ACM SIGGRAPH Conference on Motion, Interaction and Games*, 1–10. https://doi.org/10.1145/3487983.3488304
- Adams, H., Stefanucci, J., Creem-Regehr, S., & Bodenheimer, B. (2022). Depth Perception in Augmented Reality: The Effects of Display, Shadow, and Position. 2022 IEEE Conference on Virtual Reality and 3D User Interfaces (VR), 792–801. https://doi.org/10.1109/VR51125.2022.00101
- Adhanom, I., Halow, S., Folmer, E., & MacNeilage, P. (2022). Vr sickness adaptation with ramped optic flow transfers from abstract to realistic environments. *Frontiers in virtual reality*, *3*, 848001
- Ahn, J., Ahn, E., Min, S., Choi, H., Kim, H., & Kim, G. J. (2019). Size Perception of Augmented Objects by Different AR Displays. In C. Stephanidis (Ed.), *HCI International 2019 - Posters* (pp. 337–344). Springer International Publishing. https://doi.org/10.1007/978-3-030-23528-4_46
- Andronico, M. (2023, September 27). I just tried the Meta Quest 3 and it's the VR headset I've always wanted. CNN.

https://www.cnn.com/cnn-underscored/electronics/meta-quest-3-hands-on

- Anstis, S., Verstraten, F. A., & Mather, G. (1998). The motion aftereffect. *Trends in cognitive sciences*, *2*(3), 111-117. doi: 10.1016/s1364-6613(98)01142-5
- Apple. (2023, June 5). Introducing Apple Vision Pro: Apple's first spatial computer [Press release]. https://www.apple.com/newsroom/2023/06/introducing-apple-vision-pro/

- Bailenson, J. N., Blascovich, J., Beall, A. C., & Loomis, J. M. (2001). Equilibrium theory revisited: Mutual gaze and personal space in virtual environments. *Presence: Teleoperators & Virtual Environments, 10*(6), 583-598. doi: 10.1162/105474601753272844.
- Bailenson, J. N., & Yee, N. (2006). A longitudinal study of task performance, head movements, subjective report, simulator sickness, and transformed social interaction in collaborative virtual environments. *Presence: Teleoperators and Virtual Environments, 15*(6), 699-716. https://doi.org/10.1162/pres.15.6.699

Bailey, J. O., & Bailenson, J. N. (2017). Immersive Virtual Reality and the Developing Child.
In F. C. Blumberg & P. J. Brooks (Eds.), Cognitive Development in Digital Contexts (pp. 181–200). doi:10.1016/B978-0-12-809481-5.00009-2

- Ballestin, G., Solari, F., & Chessa, M. (2018). Perception and Action in Peripersonal Space: A Comparison Between Video and Optical See-Through Augmented Reality Devices. 2018 *IEEE International Symposium on Mixed and Augmented Reality Adjunct (ISMAR-Adjunct)*, 184–189. https://doi.org/10.1109/ISMAR-Adjunct.2018.00063
- Bao, M., Dong, B., Liu, L., Engel, S. A., & Jiang, Y. (2018). The best of both worlds: adaptation during natural tasks produces long-lasting plasticity in perceptual ocular dominance.
 Psychological Science, 29(1), 14-33.

Bao, M., & Engel, S. A. (2012). Distinct mechanism for long-term contrast adaptation.
 Proceedings of the National Academy of Sciences, 109(15), 5898–5903.
 https://doi.org/10.1073/pnas.1113503109

Biener, V., Kalamkar, S., Nouri, N., Ofek, E., Pahud, M., Dudley, J. J., ... & Grubert, J. (2022).
Quantifying the effects of working in VR for one week. *IEEE Transactions on Visualization and Computer Graphics, 28*(11), 3810-3820. doi: 10.1109/TVCG.2022.3203103.

- Biocca, F. A., & Rolland, J. P. (1998). Virtual eyes can rearrange your body: Adaptation to visual displacement in see-through, head-mounted displays. *Presence*, 7(3), 262-277. doi: 10.1162/105474698565703.
- Blissing, B., Bruzelius, F., & Eriksson, O. (2019). Driver behavior in mixed and virtual reality A comparative study. *Transportation Research Part F: Traffic Psychology and Behaviour*, 61, 229–237. https://doi.org/10.1016/j.trf.2017.08.005
- Buchanan, M. (2013, May 8). Glass Before Google. The New Yorker. https://www.newyorker.com/tech/annals-of-technology/glass-before-google
- Chaurasia, G., Nieuwoudt, A., Ichim, A. E., Szeliski, R., & Sorkine-Hornung, A. (2020).
 Passthrough+ real-time stereoscopic view synthesis for mobile mixed reality. Proceedings of the ACM on Computer Graphics and Interactive Techniques, 3(1), 1-17.
 https://doi.org/10.1145/3384540
- Cheng, Y. F., Yin, H., Yan, Y., Gugenheimer, J., & Lindlbauer, D. (2022). Towards Understanding Diminished Reality. CHI Conference on Human Factors in Computing Systems, 1–16. https://doi.org/10.1145/3491102.3517452
- Chauvergne, E., Hachet, M., & Prouzeau, A. (2023, April). User Onboarding in Virtual Reality:
 An investigation of current practices. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (pp. 1-15). doi:10.1145/3544548.3581211
- Cho, S., Kim, W. S., Park, S. H., Park, J., & Paik, N. J. (2020). Virtual prism adaptation therapy: protocol for validation in healthy adults. *JoVE (Journal of Visualized Experiments)*, (156), e60639. doi: 10.3791/60639-v

Cook, T [@tim_cook]. (2024, January 8). The era of spatial computing has arrived! Apple Vision Pro is available in the US on February 2 [Tweet]. X. https://twitter.com/tim_cook/status/1744362067786682797

- Creem-Regehr, S. H., Stefanucci, J. K., & Bodenheimer, B. (2023). Perceiving distance in virtual reality: theoretical insights from contemporary technologies. Philosophical Transactions of the Royal Society B, 378(1869), 20210456.
- Cummings, J. J., & Bailenson, J. N. (2016). How immersive is enough? A meta-analysis of the effect of immersive technology on user presence. *Media psychology, 19*(2), 272-309. doi: 10.1080/15213269.2015.1015740
- Debernardis, S., Fiorentino, M., Gattullo, M., Monno, G., & Uva, A. E. (2014). Text Readability in Head-Worn Displays: Color and Style Optimization in Video versus Optical See-Through Devices. *IEEE Transactions on Visualization and Computer Graphics*, *20*(1), 125–139. https://doi.org/10.1109/TVCG.2013.86
- Dixon, S. J. (2023, November 9). Cumulative number of monthly Meta product users as of 3rd quarter 2023 [Infographic]. Statista.

https://www.statista.com/statistics/947869/facebook-product-mau/

- Doughty, M., Ghugre, N. R., & Wright, G. A. (2022). Augmenting performance: A systematic review of optical see-through head-mounted displays in surgery. *Journal of Imaging, 8*(7), 203. https://doi.org/10.3390/jimaging8070203
- Due, B.L. (2015). The social construction of a Glasshole: Google Glass and multiactivity in social interaction. *PsychNology Journal, 13.* 149–178.
- Dużmańska, N., Strojny, P., & Strojny, A. (2018). Can simulator sickness be avoided? A review on temporal aspects of simulator sickness. *Frontiers in psychology, 9*, 2132. https://doi.org/10.3389/fpsyg.2018.02132
- Edwards, E. K., Rolland, J. P., & Keller, K. P. (1993, September). Video see-through design for merging of real and virtual environments. In *Proceedings of IEEE Virtual Reality Annual International Symposium* (pp. 223-233). IEEE. doi: 10.1109/VRAIS.1993.380774.

- Egliston, B., & Carter, M. (2022). 'The interface of the future': Mixed reality, intimate data and imagined temporalities. Big Data & Society, 9(1), 20539517211063689. doi:10.1177/20539517211063689
- Ehrsson, H. H. (2007). The Experimental Induction of Out-of-Body Experiences. *Science*, *317*(5841), 1048–1048. https://doi.org/10.1126/science.1142175
- Ellis, S., Mania, K., Adelstein, B., & Hill, M. (2004). Generalizeability of Latency Detection in a Variety of Virtual Environments. Proceedings of the Human Factors and Ergonomics Society Annual Meeting, 48. doi:10.1177/154193120404802306
- Efstathiou, E. (1969). Effects of exposure time and magnitude of prism transform on eye-hand coordination. *Journal of Experimental Psychology*, *81*(2), 235.
- Facchin, A., Folegatti, A., Rossetti, Y., & Farnè, A. (2019). The half of the story we did not know about prism adaptation. *Cortex*, *119*, 141-157. https://doi.org/10.1016/j.cortex.2019.04.012
- Fernández-Ruiz, J., & Díaz, R. (1999). Prism adaptation and aftereffect: specifying the properties of a procedural memory system. *Learning & Memory*, 6(1), 47-53. PMID: 10355523; PMCID: PMC311278.
- Feuchtner, T., & Müller, J. (2017). Extending the Body for Interaction with Reality. Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems, 5145–5157. https://doi.org/10.1145/3025453.3025689
- Fischer, J., Cunningham, D., Bartz, D., Wallraven, C., Bülthoff, H. H., Straßer, W., & Hubbold, R. (2006, May). Measuring the discernability of virtual objects in conventional and stylized augmented reality. In *EGVE'06: Proceedings of the 12th Eurographics conference on Virtual Environments*. 53–61. https://dl.acm.org/doi/10.5555/2386021.2386029
- Fitzgerald III, E. J. (1996). Small Unit Night Fighter Manual (No. 96-3). Center for Army Lessons Learned (CALL). HQ 2d Brigade, 82d Airborne Division, Fort Bragg, North Carolina, NC 28307-5100: Fort Leavenworth, KS 66027-1350.

Foxman, M. H. (2018). Playing with virtual reality: early adopters of commercial immersive technology (Doctoral dissertation, Columbia University).
Frassinetti, F., Magnani, B., & Oliveri, M. (2009). Prismatic lenses shift time perception. *Psychological Science*, 20(8), 949-954. DOI: 10.1111/j.1467-9280.2009.02390.x

Freiwald, J. P., Katzakis, N., & Steinicke, F. (2018, November). Camera time warp: compensating latency in video see-through head-mounted-displays for reduced cybersickness effects. In *Proceedings of the 24th ACM Symposium on Virtual Reality Software and Technology* (pp. 1-7).

- Gagnon, H. C., Buck, L., Smith, T. N., Narasimham, G., Stefanucci, J., Creem-Regehr, S. H., & Bodenheimer, B. (2020, September). Far distance estimation in mixed reality. In ACM Symposium on Applied Perception 2020 (pp. 1-8).
 https://doi.org/10.1145/3385955.3407933
- Gattullo, M., Uva, A. E., Fiorentino, M., & Monno, G. (2015). Effect of Text Outline and Contrast Polarity on AR Text Readability in Industrial Lighting. *IEEE Transactions on Visualization and Computer Graphics*, *21*(5), 638–651. https://doi.org/10.1109/TVCG.2014.2385056
- Gewirtz, D. (2023, December 5). Would you believe a VR headset outsold AirPods during Black Friday? It happened. ZDNET.

https://www.zdnet.com/article/would-you-believe-a-vr-headset-outsold-airpods-during-black -friday-it-happened/

- Goffman, E. (1959). The presentation of self in everyday life. Bantam Doubleday Dell Publishing Group.
- Gruen, R., Ofek, E., Steed, A., Gal, R., Sinclair, M., & Gonzalez-Franco, M. (2020). Measuring System Visual Latency through Cognitive Latency on Video See-Through AR devices.
 2020 IEEE Conference on Virtual Reality and 3D User Interfaces (VR), 791–799. https://doi.org/10.1109/VR46266.2020.00103

- Guo, J., Weng, D., Fang, H., Zhang, Z., Ping, J., Liu, Y., & Wang, Y. (2020, March). Exploring the differences of visual discomfort caused by long-term immersion between virtual environments and physical environments. In *2020 IEEE Conference on virtual reality and 3D user interfaces (VR)* (pp. 443-452). IEEE. doi: 10.1109/VR46266.2020.00065.
- Haak, K. V., Fast, E., Bao, M., Lee, M., & Engel, S. A. (2014). Four days of visual contrast deprivation reveals limits of neuronal adaptation. *Current Biology*, *24*(21), 2575-2579.
- Han, E., Miller, M. R., DeVeaux, C., Jun, H., Nowak, K. L., Hancock, J. T., ... & Bailenson, J. N. (2023). People, places, and time: a large-scale, longitudinal study of transformed avatars and environmental context in group interaction in the metaverse. *Journal of Computer-Mediated Communication*, *28*(2), zmac031.
 https://doi.org/10.1093/jcmc/zmac031
- Hoium, T. (2023, December 1). Mark Zuckerberg's \$50 Billion Blunder. Nasdaq. https://www.nasdaq.com/articles/mark-zuckerbergs-%2450-billion-blunder
- Howarth, P. A., & Hodder, S. G. (2008). Characteristics of habituation to motion in a virtual environment. *Displays*, *29*(2), 117-123.
- Ishihara, M., Jacquin-Courtois, S., Flory, V., Salemme, R., Imanaka, K., & Rossetti, Y. (2006). Interaction between space and number representations during motor preparation in manual aiming. *Neuropsychologia*, 44(7), 1009-1016. https://doi.org/10.1016/j.neuropsychologia.2005.11.008
- Jeong, D. C., Kim, S. S. Y., Xu, J. J., & Miller, L. C. (2021). Protean Kinematics: A Blended Model of VR Physics. *Frontiers in Psychology*, *12*, doi.org/10.3389/fpsyg.2021.705170.
- Juan, M. C., & Calatrava, J. (2011). An Augmented Reality System for the Treatment of Phobia to Small Animals Viewed Via an Optical See-Through HMD: Comparison With a Similar System Viewed Via a Video See-Through HMD. *International Journal of Human-Computer Interaction*, 27(5), 436–449. https://doi.org/10.1080/10447318.2011.552059

- Kalloniatis, M., & Luu, C. (2007). Visual Acuity by Michael Kalloniatis and Charles Luu. Webvision. The Organization of the Retina and Visual System, 5.
- Kawasaki, H., Iizuka, H., Okamoto, S., Ando, H., & Maeda, T. (2010). Collaboration and skill transmission by first-person perspective view sharing system. *19th International Symposium in Robot and Human Interactive Communication*, 125–131.

https://doi.org/10.1109/ROMAN.2010.5598668

- Kelly, J. W. (2022). Distance perception in virtual reality: A meta-analysis of the effect of head-mounted display characteristics. *IEEE transactions on visualization and computer* graphics, 29(12), 4978-4989. doi: 10.1109/TVCG.2022.3196606.
- Kennedy, R. S., Lane, N. E., Berbaum, K. S., & Lilienthal, M. G. (1993). Simulator sickness questionnaire: An enhanced method for quantifying simulator sickness. *The international journal of aviation psychology*, *3*(3), 203-220. https://doi.org/10.1207/s15327108ijap0303_3
- Kim, S. Y., Lee, J. H., & Park, J. H. (2014, September). The effects of visual displacement on simulator sickness in video see-through head-mounted displays. In *Proceedings of the* 2014 ACM International Symposium on Wearable Computers (pp. 79-82).
- Kiyokawa, K., Kurata, Y., & Ohno, H. (2000, October). An optical see-through display for mutual occlusion of real and virtual environments. In *Proceedings IEEE and ACM International Symposium on Augmented Reality* (ISAR 2000) (pp. 60-67). IEEE. doi: 10.1109/ISAR.2000.880924.

Knierim, P., Kosch, T., LaBorwit, G., & Schmidt, A. (2020). Altering the Speed of Reality?
Exploring Visual Slow-Motion to Amplify Human Perception using Augmented Reality. *Proceedings of the Augmented Humans International Conference*, 1–5.
https://doi.org/10.1145/3384657.3384659

Kohm, K., Babu, S. V., Pagano, C., & Robb, A. (2022). Objects may be farther than they appear: depth compression diminishes over time with repeated calibration in virtual reality. *IEEE* *transactions on visualization and computer graphics, 28*(11), 3907-3916. doi: 10.1109/TVCG.2022.3203112.

- Kohm, K., Porter, J., & Robb, A. (2022). Sensitivity to hand offsets and related behavior in virtual environments over time. *ACM Transactions on Applied Perception*, *19*(4), 1-15.
- Koshi, M., Sakata, N., & Kiyokawa, K. (2019). Augmented Concentration: Concentration Improvement by Visual Noise Reduction with a Video See-Through HMD. 2019 IEEE Conference on Virtual Reality and 3D User Interfaces (VR), 1030–1031. https://doi.org/10.1109/VR.2019.8798194
- Kruijff, E., Swan, J. E., & Feiner, S. (2010, October). Perceptual issues in augmented reality revisited. In *2010 IEEE International Symposium on Mixed and Augmented Reality* (pp. 3-12). IEEE. doi: 10.1109/ISMAR.2010.5643530.
- Kytö, M., Mäkinen, A., Tossavainen, T., & Oittinen, P. T. (2014). Stereoscopic depth perception in video see-through augmented reality within action space. *Journal of Electronic Imaging*, 23(1), 011006. https://doi.org/10.1117/1.JEI.23.1.011006
- Lang, B (2023, March 1). Meta Has Sold Nearly 20 Million Quest Headsets, But Retention Struggles Remain. ROADTOVR.

https://www.roadtovr.com/quest-sales-20-million-retention-struggles/#:~:text=According%2 0to%20a%20report%20by,to%20be%20the%20vast%20majority.

Lanier, J. (2017). *Dawn of the new everything: Encounters with reality and virtual reality*. Henry Holt and Company.

Lee, J. H., Kim, S., Yoon, H. C., Huh, B. K., & Park, J.-H. (2013). A preliminary investigation of human adaptations for various virtual eyes in video see-through HMDS. *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, 309–312. https://doi.org/10.1145/2470654.2470698

- Lee, J. H., & Park, J. H. (2020). Visuomotor adaptation to excessive visual displacement in video see-through HMDs. *Virtual Reality, 24*(2), 211-221. https://doi.org/10.1007/s10055-019-00390-0
- Leswing, K. (2023, December 5). Apple's market cap closes above \$3 trillion. CNBC. https://www.cnbc.com/amp/2023/12/05/apples-market-cap-closes-above-3-trillion.html
- Li, K., Schmidt, S., Bacher, R., Leemans, W., & Steinicke, F. (2022, October). Mixed Reality Tunneling Effects for Stereoscopic Untethered Video-See-Through Head-Mounted Displays. In *2022 IEEE International Symposium on Mixed and Augmented Reality (ISMAR)* (pp. 44-53). IEEE. doi: 10.1109/ISMAR55827.2022.00018.
- Lombard, M., Ditton, T. (1997). At the Heart of It All: The Concept of Presence. *Journal of Computer-Mediated Communication, 3*(1), https://doi.org/10.1111/j.1083-6101.1997.tb00072.x
- Loomis, J. M., & Philbeck, J. W. (2008). Measuring spatial perception with spatial updating and action. *Embodiment, ego-space, and action, 1-*43. https://psycnet.apa.org/record/2007-15732-001
- Lu, W., Duh, B.-L. H., & Feiner, S. (2012). Subtle cueing for visual search in augmented reality. 2012 IEEE International Symposium on Mixed and Augmented Reality (ISMAR), 161–166. https://doi.org/10.1109/ISMAR.2012.6402553
- Lu, W., Duh, H. B.-L., Feiner, S., & Zhao, Q. (2014). Attributes of Subtle Cues for Facilitating Visual Search in Augmented Reality. *IEEE Transactions on Visualization and Computer Graphics*, *20*(3), 404–412. https://doi.org/10.1109/TVCG.2013.241
- Magnani, B., Frassinetti, F., Ditye, T., Oliveri, M., Costantini, M., & Walsh, V. (2014). Left insular cortex and left SFG underlie prismatic adaptation effects on time perception: Evidence from fMRI. *NeuroImage*, *92*, 340-348. doi: 10.1016/j.neuroimage.2014.01.028.
- Masalkhi, M., Waisberg, E., Ong, J., Zaman, N., Sarker, P., Lee, A. G., & Tavakkoli, A. (2023). Apple Vision Pro for Ophthalmology and Medicine. *Annals of Biomedical Engineering*, 1-4.

- Marques, B., Alves, J., Neves, M., Justo, I., Santos, A., Rainho, R., Maio, R., Costa, D.,
 Ferreira, C., Dias, P., & Santos, B. S. (2020). Interaction with Virtual Content using
 Augmented Reality: A User Study in Assembly Procedures. *Proceedings of the ACM on Human-Computer Interaction*, 4(ISS), 196:1-196:17. https://doi.org/10.1145/3427324
- Maruhn, P., Dietrich, A., Prasch, L., & Schneider, S. (2020). Analyzing Pedestrian Behavior in Augmented Reality — Proof of Concept. 2020 IEEE Conference on Virtual Reality and 3D User Interfaces (VR), 313–321. <u>https://doi.org/10.1109/VR46266.2020.00051</u>
- Matsuda, N., Wheelwright, B., Hegland, J., & Lanman, D. (2021). Reverse pass-through vr. In ACM SIGGRAPH 2021 Emerging Technologies (pp. 1-4).
- Masnadi, S., Pfeil, K. P., Sera-Josef, J.-V. T., & LaViola, J. J. (2021). Field of View Effect on Distance Perception in Virtual Reality. 2021 IEEE Conference on Virtual Reality and 3D User Interfaces Abstracts and Workshops (VRW), 542–543. doi:10.1109/VRW52623.2021.00153
- Medeiros, D., Sousa, M., Mendes, D., Raposo, A., & Jorge, J. (2016). Perceiving depth: optical versus video see-through. *Proceedings of the 22nd ACM Conference on Virtual Reality Software and Technology*, 237–240. https://doi.org/10.1145/2993369.2993388

Meta. (2023a). Meta Quest 3 Health & Safety.

https://www.meta.com/quest/safety-center/quest-3/

Meta. (2023b). First Encounters (Meta Quest 3 version). [Video Game]. Meta Platforms, Inc.

Microsoft. (2022, August 4). Color, light, and materials.

https://learn.microsoft.com/en-us/windows/mixed-reality/design/color-light-and-materials.

Milgram, P., & Kishino, F. (1994). A taxonomy of mixed reality visual displays. IEICE

TRANSACTIONS on Information and Systems, 77(12), 1321-1329.

Miller, M. R., DeVeaux, C., Han, E., Ram, N., & Bailenson, J. N. (2023, March). A Large-Scale Study of Proxemics and Gaze in Groups. In 2023 IEEE Conference Virtual Reality and 3D User Interfaces (VR) (pp. 409-417). IEEE. doi: 10.1109/VR55154.2023.00056.

- Miller, M. R., Jun, H., Herrera, F., Yu Villa, J., Welch, G., & Bailenson, J. N. (2019). Social interaction in augmented reality. *PloS one, 14*(5), e0216290.
 https://doi.org/10.1371/journal.pone.0216290
- Miyauchi, S., Egusa, H., Amagase, M., Sekiyama, K., Imaruoka, T., & Tashiro, T. (2004).
 Adaptation to left–right reversed vision rapidly activates ipsilateral visual cortex in humans. *Journal of physiology-Paris*, *98*(1-3), 207-219. DOI: 10.1016/j.jphysparis.2004.03.014
- Moss, J. D., Austin, J., Salley, J., Coats, J., Williams, K., & Muth, E. R. (2011). The effects of display delay on simulator sickness. *Displays*, 32(4), 159-168. https://doi.org/10.1016/j.displa.2011.05.010
- Moustafa, F. & Steed, A. (2018, November 28). A longitudinal study of small group interaction in social virtual reality. *Proceedings of the 24th ACM Symposium on Virtual Reality Software and Technology.* http://dx.doi.org/10.1145/3281505.3281527
- Ng, A., Lepinski, J., Wigdor, D., Sanders, S., & Dietz, P. (2012). Designing for Low-Latency Direct-Touch Input. Proceedings of the 25th Annual ACM Symposium on User Interface Software and Technology, 453–464. doi:10.1145/2380116.2380174
- Nishida, J., Matsuda, S., Oki, M., Takatori, H., Sato, K., & Suzuki, K. (2019). Egocentric Smaller-person Experience through a Change in Visual Perspective. *Proceedings of the* 2019 CHI Conference on Human Factors in Computing Systems, 1–12. https://doi.org/10.1145/3290605.3300926
- Nordahl, R., Nilsson, N. C., Adjorlu, A., Magalhaes, E., Willemsen, S., Andersson, N. S., Wang, J., & Serafin, S. (2019). 12 Hours in Virtual Reality: Two Cases of Long-Term Exposure to Consumer-Grade Virtual Reality. In IEEE VR Workshop on Immersive Sickness Prevention http://ieeevr.org/2019/
- Oh, C. S., Bailenson, J. N., & Welch, G. F. (2018). A Systematic Review of Social Presence:
 Definition, Antecedents, and Implications. *Frontiers in Robotics and AI*, *5*, 114.
 https://doi.org/10.3389/frobt.2018.00114

- Oliver, Dan. (2023, November). Meta Quest 3 review: a new gold standard in standalone VR. Creative Blog. https://www.creativeblog.com/reviews/meta-quest-3.
- Orlosky, J., Wu, Q., Kiyokawa, K., Takemura, H., & Nitschke, C. (2014, October). Fisheye vision: peripheral spatial compression for improved field of view in head mounted displays. In *Proceedings of the 2nd ACM symposium on Spatial user interaction* (pp. 54-61).
- Palmisano, S., & Constable, R. (2022). Reductions in sickness with repeated exposure to HMD-based virtual reality appear to be game-specific. *Virtual Reality*, *26*(4), 1373-1389.
- Park, M., Serefoglou, S., Schmidt, L., Radermacher, K., Schlick, C., & Luczak, H. (2008).
 Hand-Eye Coordination Using a Video See-Through Augmented Reality System. *The Ergonomics Open Journal*, *1*(1), 46–53. <u>https://doi.org/10.2174/1875934300801010046</u>
- Peck, T. C., Good, J. J., Erickson, A., Bynum, I., & Bruder, G. (2022). Effects of transparency on perceived humanness: Implications for rendering skin tones using optical see-through displays. *IEEE Transactions on Visualization and Computer Graphics*, *28*(5), 2179-2189.
- Pesudovs, K. (1993). Decreased Uncorrected Vision After a Period of Distance Fixation with Spectacle Wear. Optometry and Vision Science, 78. https://doi.org/10.1097/00006324-199307000-00002
- Pimentel, D., & Kalyanaraman, S. (2022). The effects of embodying wildlife in virtual reality on conservation behaviors. *Scientific Reports, 12(1)*, 6439.
- Piper Sandler. (2023, April). Taking Stock With Teens. Retrieved from https://www.pipersandler.com/teens

Pfeil, K., Masnadi, S., Belga, J., Sera-Josef, J.-V. T., & LaViola, J. (2021). Distance Perception with a Video See-Through Head-Mounted Display. *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*, 1–9. https://doi.org/10.1145/3411764.3445223 Ramos, A. A., Hørning, E. C., & Wilms, I. L. (2019). Simulated prism exposure in immersed virtual reality produces larger prismatic after-effects than standard prism exposure in healthy subjects. *PLoS One*, *14*(5), e0217074. doi: 10.1371/journal.pone.0217074

Reason, J. T., & Brand, J. J. (1975). *Motion sickness*. Academic press.

- Redding, G. M., & Wallace, B. (1996). Adaptive spatial alignment and strategic perceptual-motor control. Journal of Experimental Psychology: Human Perception and Performance, 22(2), 379–394. https://doi.org/10.1037/0096-1523.22.2.379
- Reed, N., & Joseff, K. (2022). Kids and the Metaverse: What Parents, Policymakers, and Companies Need to Know [White paper]. Common Sense. https://www.commonsensemedia.org/sites/default/files/featured-content/files/metaverse-wh ite-paper.pdf
- Risi, D., & Palmisano, S. (2019). Effects of postural stability, active control, exposure duration and repeated exposures on HMD induced cybersickness. *Displays*, *60*, 9-17.
- Rolland, J. P., Biocca, F. A., Barlow, T., & Kancherla, A. (1995). Quantification of adaptation to virtual-eye location in see-thru head-mounted displays. *Proceedings Virtual Reality Annual International Symposium* '95, 56–66. https://doi.org/10.1109/VRAIS.1995.512480
- Rolland, J. P., Holloway, R. L., & Fuchs, H. (1995, December). Comparison of optical and video see-through, head-mounted displays. In *Telemanipulator and Telepresence Technologies* (Vol. 2351, pp. 293-307). SPIE. https://doi.org/10.1117/12.197322
- Rosa, N., Veltkamp, R. C., Hürst, W., Nijboer, T., Gilbers, C., & Werkhoven, P. (2019). The Supernumerary Hand Illusion in Augmented Reality. *ACM Transactions on Applied Perception*, *16*(2), 12:1-12:20. https://doi.org/10.1145/3341225
- Rudolph, C., Brunnett, G., Bretschneider, M., Meyer, B., & Asbrock, F. (2023). TechnoSapiens: merging humans with technology in augmented reality. *The Visual Computer*. https://doi.org/10.1007/s00371-023-02829-7

- Saredakis, D., Szpak, A., Birckhead, B., Keage, H. A., Rizzo, A., & Loetscher, T. (2020). Factors associated with virtual reality sickness in head-mounted displays: a systematic review and meta-analysis. *Frontiers in human neuroscience*, *14*, 96.
- Skarbez, R., Smith, M., & Whitton, M. C. (2021). Revisiting Milgram and Kishino's reality-virtuality continuum. Frontiers in Virtual Reality, 2. doi:10.3389/frvir.2021.647997
- Slater, M., Gonzalez-Liencres, C., Haggard, P., Vinkers, C., Gregory-Clarke, R., Jelley, S., ... & Silver, J. (2020). The ethics of realism in virtual and augmented reality. *Frontiers in Virtual Reality, 1*, 1.
- Steinicke, F., & Bruder, G. (2014, October). A self-experimentation report about long-term use of fully-immersive technology. In *Proceedings of the 2nd ACM symposium on Spatial user interaction* (pp. 66-69). https://doi.org/10.1145/2659766.2659767
- Steptoe, W., Julier, S., & Steed, A. (2014). Presence and discernability in conventional and non-photorealistic immersive augmented reality. *2014 IEEE International Symposium on Mixed and Augmented Reality (ISMAR)*, 213–218.

https://doi.org/10.1109/ISMAR.2014.6948430

- Stevens, T. (2013, May 22). Wearable-technology pioneer Thad Starner on how Google Glass could augment our realities and memories. engadget. https://www.engadget.com/2013-05-22-thad-starner-on-google-glass.html
- Stratton, G. M. (1897). Vision without inversion of the retinal image. *Psychological Review, 4*(4), 341–360. https://doi.org/10.1037/h0075482
- Stanney, K. M., & Kennedy, R. S. (1997). The psychometrics of cybersickness. *Communications* of the ACM, 40(8), 66-68. https://doi.org/10.1145/257874.257889
- Sugita, Y. (1996). Global plasticity in adult visual cortex following reversal of visual input. *Nature, 380*(6574), 523-526. DOI: 10.1038/380523a0
- Sutrich, N. (2023, December 14). Microsoft Office is finally available on Meta Quest headsets. andriodcentral.

https://www.androidcentral.com/gaming/virtual-reality/microsoft-office-is-finally-available-on -meta-quest-headsets

Switzer, E. (2023, October 13). Quest 3's First Encounters Will Make You Believe In Mixed Reality. The Gamer.

https://www.thegamer.com/quest-3s-first-encounters-will-make-you-believe-in-mixed-reality

- Tan, G., Lee, Y. H., Zhan, T., Yang, J., Liu, S., Zhao, D., & Wu, S. T. (2018). Foveated imaging for near-eye displays. Optics express, 26(19), 25076-25085. doi:10.1364/OE.26.025076
- Ueyama, Y., & Harada, M. (2022). Effects of first- and third-person perspectives created using a head-mounted display on dart-throwing accuracy. *Virtual Reality*, *26*(2), 687–695. https://doi.org/10.1007/s10055-021-00562-x
- Vaziri, K., Bondy, M., Bui, A., & Interrante, V. (2021). Egocentric Distance Judgments in Full-Cue Video-See-Through VR Conditions are No Better than Distance Judgments to Targets in a Void. 2021 IEEE Virtual Reality and 3D User Interfaces (VR), 1–9. https://doi.org/10.1109/VR50410.2021.00056
- Vaziri, K., Liu, P., Aseeri, S., & Interrante, V. (2017). Impact of visual and experiential realism on distance perception in VR using a custom video see-through system. *Proceedings of the ACM Symposium on Applied Perception*, 1–8. https://doi.org/10.1145/3119881.3119892
- Wähnert, S., & Gerhards, A. (2022). Sensorimotor adaptation in VR: magnitude and persistence of the aftereffect increase with the number of interactions. *Virtual Reality*, *26*(3), 1217-1225.
- Warburton, M., Mon-Williams, M., Mushtaq, F., & Morehead, J. R. (2023). Measuring motion-to-photon latency for sensorimotor experiments with virtual reality systems.
 Behavior Research Methods, 55(7), 3658–3678. doi:10.3758/s13428-022-01983-5
- Welch, R. B., Bridgeman, B., Anand, S., & Browman, K. E. (1993). Alternating prism exposure causes dual adaptation and generalization to a novel displacement. *Perception & psychophysics*, *54*, 195-204.

- IS&T Electronic Imaging (EI) Symposium. (2017, March 29). El 2017 Plenary: VR 2.0: Making Virtual Reality better than Reality [Video]. YouTube. https://www.youtube.com/watch?v=mtevPU5vkv8
- Wilmott, J. P., Erkelens, I. M., Murdison, T. S., & Rio, K. W. (2022). Perceptibility of Jitter in Augmented Reality Head-Mounted Displays. 2022 IEEE International Symposium on Mixed and Augmented Reality (ISMAR), 470–478.

https://doi.org/10.1109/ISMAR55827.2022.00063

- Wolf, E., Döllinger, N., Mal, D., Wienrich, C., Botsch, M., & Latoschik, M. E. (2020). Body Weight Perception of Females using Photorealistic Avatars in Virtual and Augmented Reality. 2020 IEEE International Symposium on Mixed and Augmented Reality (ISMAR), 462–473. https://doi.org/10.1109/ISMAR50242.2020.00071
- Zheng, F., Schmalstieg, D., & Welch, G. (2014, September). Pixel-wise closed-loop registration in video-based augmented reality. In 2014 IEEE International Symposium on Mixed and Augmented Reality (ISMAR) (pp. 135-143). IEEE. doi: 10.1109/ISMAR.2014.6948419.
- Xiao, L., Nouri, S., Hegland, J., Garcia, A. G., & Lanman, D. (2022, July). Neuralpassthrough: Learned real-time view synthesis for vr. In ACM SIGGRAPH 2022 Conference Proceedings (pp. 1-9). https://doi.org/10.1145/3528233.3530701

Appendix

A thorough sampling of past studies that examine passthrough as a system (i.e., its fundamental properties) and how it can be manipulated (e.g., through applying filters or manipulating perception), ordered by research focus. Beyond system performance, these works include user studies and experiments that evaluate behavioral and cognitive responses. Our search procedure consisted of completing keyword searches in research databases such as *Google Scholar* and the *ACM Digital Library*. Search terms consisted of a combination of words associated with passthrough, including "passthrough," "video see-through," "VST," "video passthrough," "augmented reality," and "mixed-reality."

Poforonco	Research	Outcomo(s)	Taek	Main Finding
Adams et al., 2022	AR Display Type	Depth Perception	Estimating distance of virtual target	Distance judgments were underestimated more when using passthrough than optical see-through and adding a virtual shadow increased accuracy.
Ahn et al., 2019	AR Display Type	Size Perception	Scale matching task	Object size estimation was more accurate when using passthrough than using optical see-through or handheld, mobile AR displays.
Ballestin et al., 2018	AR Display Type	Depth Perception	Precision reaching task	Depth estimation was more accurate and eye strain was less intense when using an optical see-through than passthrough.
Debernardis et al., 2014	AR Display Type	Text Readability	Text identification task	Readability was quicker when using optical see-through than passthrough.
Freiwald et al., 2018	AR Display Type	Latency	Move had at different speeds and move object from one physical place to a virtual place	Simulator sickness was reduced by compensating for latency discrepancy and reducing registration error between virtual and physical world images.
Gattullo et al., 2015	AR Display Type	Text Readability	Counting target letters and rating visibility of text blocks	In high background illuminances, readability performance was better when using passthrough than optical see-through.

Juan & Calatrava, 2011	AR Display Type	Presence	Placing hand on table and viewing cockroaches and spiders walk over it	Presence was greater when using passthrough than optical see-through.
Marques et al., 2020	AR Display Type	Assembly Task Performance	Assembly task using legos	Task completion time was quicker and cybersickness was greater when using passthrough and controllers than a mobile device with touch gestures or movement as input.
Medeiros et al., 2016	AR Display Type	Depth Perception	Reaching task and depth drawing task	Depth perception was more accurate, task performance was quicker, and immersion was higher using passthrough than optical see-through.
Wilmott et al., 2022	AR Display Type	Jitter Perception	Report which interval contained the object that jittered after watching 2 virtual content	Jitter perceptibility increased as viewing distance increased and decreased as background luminance increased (i.e., more detectable at dim, compared to brighter background luminance).
Feuchtner & Müller, 2017	Body Representation	Body Ownership	Interacting with virtual and physical objects using an altered hand representation	Body ownership over a virtual arm stretched more than twice a real arm's actual length was experienced in passthrough.
Rosa et al., 2019	Body Representation	Body Ownership	Watching a virtual knife motion towards a virtual hand and watching the knife and virtual hand disappear	Body ownership and agency over a virtual hand was experienced in both the single (one virtual, one real hand visible) and supernumerary (one virtual and both real hands visible) conditions.
Rudolph et al., 2013	Body Representation	Body Ownership	Interacting with virtual objects with a virtual	Body ownership over a virtual bionic prosthesis that replaced an arm was experienced.

			arm prosthesis	
Gruen et al., 2020	Latency Measurement	Latency	Rapid response task similar to the Eriksen flanker task	Calculating a system's visual latency through an inferred method (via reaction time with and without a headset) and a measured method (via accurate sensors) was comparable.
Ehrsson, 2007	Perspective	Perceptual Illusion	Viewing the perspective of a camera sitting behind them and experiencing correlated visual and tactile information	The illusion of an out-of-body experience was induced through a combination of indirect visual information and correlated tactile and visual feedback on the body.
Kawasaki et al., 2010	Perspective	Skill Transmission	Drawing target motions while viewing their own or their partner's first-person perspective	View-sharing helped improve velocity following.
Nishida et al., 2019	Perspective	Social Behavior	Social task involving handshakes	Personal distance was greater, hands were raised higher, and childlike behavior was more frequent when wearing a device that altered eyesight to waist level.
Ueyama & Harada, 2022	Perspective	Task Performance	Dart throwing	Task performance was poorer after practicing in passthrough from a first-person perspective and unaffected after practicing in passthrough from a third-person perspective.
Abbey et al., 2021 Blissing et al	Reality Reality	Presence Driving Task	Quickly selecting one of two boxes with touch based on visual stimuli Driving tasks at	When there were no breaks in presence, presence scores were lower in VR than in passthrough with virtual elements. Driving in passthrough was more

2019		Performance	low speed	difficult than driving in VR.
Cheng et al., 2022	Reality	Attitudes, Qualitative Observations	Think-aloud, block-constructi on, and video tasks while applying different diminished reality filters to various scenarios and environments	Acceptability of diminished reality filters depends on the likelihood of physical interferences from the diminished elements, their interaction requirements and behaviors, and the level of social presence.
Maruhn et al., 2020	Reality	Crossing Acceptance, Cross Initiation Time	Crossing a street after a first car passes and before a second car passes	Although there were lower acceptance rates and later crossing initiation when using passthrough than in the real world, results were similar enough to demonstrate the potential of AR for pedestrian research.
Pfeil et al., 2021	Reality	Depth Perception	Blind throwing task	Distance judgments were more underestimated when using passthrough than without a headset.
Gagnon et al., 2020	Reality	Depth Perception	Verbal distance estimation of a target at different locations	Shorter distances (25-200m) were overestimated and larger distances were underestimated (greater than 200m) in passthrough.
Wolf et al., 2020	Reality	Body Ownership	Moving body in front of a virtual mirror	The influence of the system used (passthrough vs VR) on body weight perception, presence, and embodiment was small.
Fischer et al., 2006	Stylization	Object Discernibility	Pressing a key in response to stimuli	Discerning differences between physical and virtual objects was more difficult when using stylized-passthrough than non-stylized passthrough.
Koshi et al., 2019	Stylization	Task Performance	Determining if math expression on left monitor is equal to the	Visual noise reduction helped reduce the amount of time to complete a math task.

			value on the right monitor	
Steptoe et al., 2014	Stylization	Object Discernibility	Object discernibility task and ambulatory behavior task	Stylized AR was associated with chance-level discernibility judgments between physical and virtual objects, conventional AR was associated with more correct judgments, and virtualized AR (extreme stylization) was associated with more incorrect judgments.
Vaziri et al., 2017	Stylization	Depth Perception	Blind walking to make distance estimates	Degrading visual realism did not significantly decrease the accuracy of distance perception.
Vaziri et al., 2021	Stylization	Depth Perception	Blind-walking to a target	Severely degrading the detail of a scene did not significantly decrease the accuracy of distance perception.
Knierim et al., 2020	Temporal Resolution	Height Estimation	Estimating the jump height of an experimenter	Temporally altering people's view (slow motion) in passthrough did not affect height estimation.
Kytö et al., 2014	Visual Cues	Depth Perception	Aligning position of physical pointer with position of an augmented object	Binocular disparity and relative size cues improved the accuracy of depth judgments.
Lu et al., 2012	Visual Cues	Visual Search Performance	Searching for a target in an outdoor scene	Contrast works as a subtle cue in passthrough
Lu et al., 2014	Visual Cues	Visual Search Performance	Searching for a target in video background	Decreased feature congestion and increased cue size improved visual search.
Biocca & Rolland, 1998	Visual Displacement	Hand-Eye Coordination	Pointing accuracy task and pegboard task	Visual displacement initially impacted hand-eye coordination. Over time, perceptual adaptation occurred.
Lee et al., 2013	Visual Displacement	Task Performance	Foot placement and finger touch task	Perceptual adaptation occurred across multiple visual displacements and task performance did not significantly differ.

			Tracing lines on a touch screen, placing a stylus over a dot on a touch screen, tracing the edge of a metal sheet, screwing wingnuts on an assembly board, and tracing a	Height displacement impacted
			board, and	Height displacement impacted
			predefined path	performance was less accurate
Park et al., 2008	Visual Displacement	Hand-Eye Coordination	on a skull-model	when using a headset than when not using a headset.