

Review

Virtual reality and the psychology of climate change

David M. Markowitz¹ and Jeremy N. Bailenson²

Abstract

Researchers and practitioners have used virtual reality (VR) as a tool to understand attitudes and behaviors around climate change for decades. As VR has become more immersive, mainstream, and commercially available, it has also become a medium for education about climate issues, a way to indirectly expose users to novel stimuli, and a tool to tell stories about antienvironmental activity. This review explicates the relationship between VR and climate change from a psychological perspective and offers recommendations to make virtual experiences engaging, available, and impactful for users. Climate change is perhaps the most urgent global issue of our lifetime with irreversible consequences. It therefore requires innovative experiential approaches to teach its effects and modify attitudes in support of proenvironmental actions.

Addresses

¹ School of Journalism and Communication, University of Oregon, United States

² Department of Communication, Stanford University, United States

Corresponding author: Markowitz, David M. (dmark@uoregon.edu)

Current Opinion in Psychology 2021, 42:60–65

This review comes from a themed issue on **Psychology of Climate Change**

Edited by **Mark F. Ferguson & Michael T. Schmitt**

For a complete overview see the [Issue](#) and the [Editorial](#)

Available online 31 March 2021

<https://doi.org/10.1016/j.copsyc.2021.03.009>

2352-250X/© 2021 Elsevier Ltd. All rights reserved.

Keywords

Virtual reality, Climate change, Education, Novel exposure, Storytelling.

Virtual reality and the psychology of climate change

Social scientists often try to create a laboratory environment for participants to act naturally and accurately report how they feel after a stimulus or experience. A constraint in this empirical process is that participants respond to what they currently see or they are forced to recollect how a past or imagine what a future self might do via a survey question. This model has characterized social science research for over a century, but the past 20 years of virtual reality (VR) research has operated under a different set of rules [1]. In VR, people do not have to imagine themselves years into the future [2,3]; they can

become older virtually and experience their future self by transferring to a new body. In VR, people do not have to approximate homelessness [4]; they can take the perspective of someone who has been evicted and simulate the experience as if it was real. VR technology has been applied to fields such as climate science education [5] and psychotherapy [6], with positive effects that compare to or, in some cases, surpass in-person treatments. It is time to no longer discuss the potential of VR but instead to focus on how to scale its use effectively and responsibly.

The current article reviews the connection between VR and one of the most important global issues, climate change. Although more than half of Americans polled by the American Psychological Association believe that climate change is the most pressing issue facing the world [7], more than half of those polled also suggest they “don’t know where to start” to address the problem. How can we confront climate change issues when most people do not know how to address the crisis? Here, we review psychological evidence that supports how VR can be a tool to teach complex climate science, make people care about the issues, and indirectly expose them to natural environments that would be otherwise impossible or unsafe. Prior reviews have evaluated the relationship between VR and climate change historically [8,9], although we focus on recent research to provide a state of the field. We conclude with paths forward to further understand the psychology of climate change with VR technology.

In this review, we evaluate research that uses immersive (e.g. using a head-mounted display with head and hand tracking) and desktop VR, including mobile apps, to understand the psychology of climate change. As others have noted [5,9–11], climate and environmental science has been a large focus of VR research for over three decades. Chris Dede et al., for example, developed River City to teach students about the scientific method and ecosystem science [12]. River City was largely run on desktop VR, but future iterations became more immersive [13]. Although immersive and desktop VR have nontrivial hardware differences that can lead to downstream effects (e.g. immersive VR often facilitates greater levels of presence than other modalities [14,15]), we focused on the psychological connections and outcomes of studying climate change in different virtual worlds and less on the mechanics or hardware.

A brief introduction to VR

VR can create meaningful psychological experiences because of its three primary technological affordances: presence, immersion, and embodiment [16]. *Presence* is the psychological “illusion of nonmediation” [17] and the sense of “being there” in a virtual environment [18]. When VR is done well, people suspend their belief that the world is synthetic [19]. In immersive VR, which is characterized by stereoscopic displays in headsets, controllers, sensors, and high-fidelity tracking, presence is more easily achieved compared with VR on a computer or mobile device. *Immersion* is the “technological quality” of the medium and how well the VR hardware maps to human movements [20] (p. 273). Finally, *embodiment* is the ability to change one’s character or perspective in VR [21,22]. Embodiment is common in desktop VR (e.g. The Sims) [23], but its effects are particularly strong in immersive VR when considering the concurrent impact of presence and immersion [24]. For example, racial embodiment in immersive VR (versus desktop VR) provides a vivid and believable experience that one’s body transferred from a particular race to another [25]. Body transfer has a well-established history in VR from a neuropsychological lens [26]. Ehrsson et al., for example, used functional magnetic resonance imaging to evaluate how the brain responded to people feeling ownership of a rubber hand [27]. Indeed, neural activity in the brain reflected feeling hand ownership that would otherwise be observed while touching a real limb.

As expected, VR affordances are complementary. A recent meta-analysis revealed that presence and immersion are moderately related ($r = .316$) [20]. When users feel a part of the virtual world, the technology approximates their movements appropriately and they can embody a range of characters, VR can create impactful experiences.

Psychological evaluations of climate change in VR

Drawing on the prior technological affordances, we consider recent literature evaluating psychological aspects of climate change in immersive, desktop, and mobile VR. We also describe the potential impact of embodiment on climate change effects.

Immersive VR

As many aspects of climate change, its process, and consequences are unclear to average citizens [28,29], researchers often attempt to bring the science closer and more psychologically proximate to participants [30]. Immersive VR experiences related to climate change are often positioned as field trips [31]. This, in turn, can increase participant understanding of complex ideas, engage their emotions by displaying environmental

devastation, and encourage action outside of the laboratory [32].


One of the first large-scale, multisite papers on immersive VR and climate change from a psychological perspective focused on education. Markowitz et al. placed high school students, university undergraduates, and adults in a virtual rocky reef affected by ocean acidification [5]. The experience took participants through the chemical processes of ocean acidification and demonstrated its effects on underwater life. In general, those who explored more of the underwater world tended to learn more about ocean acidification, suggesting interaction can assist with learning about complex science concepts. In some cases, reported levels of presence positively associated with ocean acidification knowledge and concern for the environment, indicating the more that people felt a part of the virtual world, the more they learned and connected to nature. Other studies have found similar learning gains across climate change phenomena, including water management and water conservation [33–35] and nuclear energy [36]. Immersive VR’s ability to create first-hand, immediate experiences often helps to introduce new and challenging climate change topics.

Another investigation used immersive VR to simulate stormy weather patterns in Hong Kong exacerbated by the participant’s electricity and energy use. When participants used more electrical appliances in the virtual world, simulations depicting their impact on Hong Kong’s weather were shown in a virtual city. Therefore, the experience educated participants on the connection between high energy use and its environmental effects by bringing climate change effects closer and in a more personalized manner [37]. This evidence is consistent with psychological theories that argue behavior and attitude change can occur when people feel the impact of an experience is more concrete, immediate, and proximate [38–40].

A recent study also evaluated how presenting statistics about plastic consumption affected climate change attitudes in immersive VR [41]. Chirico et al. found that presenting plastic consumption numerically (e.g. the number of plastic water bottles consumed by 10 people per year) suppressed participant emotions toward the issue, reported levels of presence, and general attitudes toward the environment compared with a visually concrete (e.g. a pile of plastic water bottles) or mixed representation of visuals and numbers. The presentation of climate change content in immersive VR therefore affects how people feel about the issues.

Finally, virtual worlds are often built as a proof-of-concept to demonstrate climate change phenomena can be rendered in immersive VR. Simulations demonstrate the potential to examine psychological

Figure 1



People from over 100 countries have downloaded and/or used the Stanford Ocean Acidification Experience. The data in this figure represent an approximate count of all-time downloads from Steam (until September 2020) and active user count from Oculus (February 2019 to September 2020). A darker shade of blue suggests more downloads or uses than a lighter shade.

connections to climate change in VR, but they often do not measure such relationships directly. A study by Fabrika et al. [42], for example, used a CAVE Automatic Virtual Environment to place participants in a virtual forest and show the effects of tree thinning (e.g. selective tree removal). Pimentel et al. [43] had participants watch seafood become discolored and unpalatable in a virtual buffet, leveraging VR's ability to accelerate time and project climate change effects on a person's everyday life [40]. Finally, Kolb et al. [44] developed an immersive VR simulation of intense meteorological events in Bavaria, and Tibaldi et al. [45] used immersive VR to map changes in volcanology.

Researchers have scratched the surface of understanding immersive VR's potential to deliver climate change experiences and measure their psychological impact. Experimental research examines the effects of immersive VR on learning about and attitudes toward the environment, although more work is needed to understand if other immersive experiences can move past the proof-of-concept stage to affect how people feel.

Desktop and mobile VR

Desktop VR studies often examine the dynamics of effective climate change storytelling [46]. Greussing observed that knowledge acquisition suffered when a 360-degree photograph was added to a news story about

climate change relative to reading the story without an image [47]. The author suggests the 360-degree photograph distracted readers from the story's content, arguing that how a story is communicated with VR technology is a crucial consideration.

Mobile VR technology, which uses a person's smartphone, has marked climate change effects longitudinally [48]. For example, La Salandra et al. built a mobile VR application to detect the deterioration of mountain peaks because of climate erosion [49]. The authors propose that their system, PeakLensVR, can be applied to more immersive technology (e.g., Gear VR) and generates an "environment that humans can interact with a sense of presence similar to that of real life" (p. 1207). Presence was not evaluated in their assessment of the virtual world, however. We expect the number of mobile VR studies to increase as smartphone access increases and as the technology continues to bring interactive, first-hand climate experiences directly to users.

Embodiment effects

There is mixed evidence related to how embodiment changes participant thoughts and feelings about climate change in VR. For example, Markowitz et al. [5] tested if embodying a coral versus a scuba diver affected learning gains about ocean acidification, but on average,

participants in both groups tended to learn about climate change at a similar rate. However, embodying a virtual cow in immersive VR changed how people felt toward nature compared with watching a video of a virtual grazing [50]. Participants who embodied a virtual cow had higher rates of reported presence and greater connectedness to nature than those in the video-watching condition. More work is required to understand how embodiment changes attitudes about climate change and the specific mechanisms that might drive these effects.

Taken together, most of the research on VR and the psychology of climate change draws on key affordances of the medium—presence, immersion, embodiment—to create experiences that make people feel differently about the environment. Studies in immersive VR use the technology as a tool for education to demonstrate climate change effects in short experiential bursts or as a proof-of-concept. Desktop and mobile VR studies are less common, but they generally attempt to uncover novel ways of delivering climate change experiences. Future work would benefit from identifying the VR experience best suited to deliver impactful climate change stories and the boundary conditions of embodiment effects on climate change attitudes.

Conclusion

The evidence in this review suggests that VR experiences can make important contributions toward understanding psychological aspects of climate science. First, VR tools can mark the progression of ecological systems affected by climate change [45,49] and increase participant interest, concern, or knowledge about the issues [5,31,33–35,37,51,52]. Climate change research in VR can also expose users to new experiences that would otherwise be impossible (e.g. people cannot accelerate time to see climate change effects), counterproductive (e.g. people should not burn fossil fuels to demonstrate heat being trapped in the atmosphere), costly (e.g. traveling to an area affected by climate change also harms the environment and requires many resources), or dangerous (e.g. wildfire training in-person can risk lives, whereas training in VR does not) in the physical world [9]. Therefore, immersive, desktop, and mobile VR can deliver meaningful climate change content and test how people think, feel, and respond to the issues.

The social and psychological impact of VR climate change research has already been felt outside the laboratory [53]. The Stanford Ocean Acidification Experience [54], for example, has been downloaded and/or used in more than half of the countries worldwide (see Figure 1). For VR and climate change experiences, we believe “if you build it, they will download,” so long as the virtual world is public, free, scalable across platforms, and connects with individuals personally and presents

users with new information about the climate. Users should exit a VR experience with a new appreciation for the medium and the environment affected by climate change. We encourage researchers to build virtual worlds with the goal of making them publicly available because access to reliable climate information is also an important issue [55]. Increasing knowledge about climate change mechanisms can generally help to change attitudes and environmental beliefs [56,57], and we believe that virtual experiences can amplify such effects.

Finally, although much of the psychological research on VR and climate change has focused on education, more longitudinal data should be recruited in this line of work. Other important empirical avenues include but are not limited to (1) testing how climate change deniers respond to environmental experiences in VR, (2) developing desktop VR curricula for environmental science classes and targeted training in immersive VR, (3) using lightweight VR mobile applications and tools to make environmental stories more engaging and memorable to a wide audience, and (4) providing VR developers with incentives to create virtual worlds that improve public concern for the environment. Climate change is a global issue that affects all institutions and societies. It should therefore motivate industry and academic collaborations to improve how we deliver virtual climate experiences.

Authors' contributions

D.M.M. wrote, reviewed, and edited the article. J.B. reviewed and edited the article.

Conflict of interest statement

The authors declare no conflict of interest in the creation or writing of this article. Dr Jeremy Bailenson is the founding director of the Virtual Human Interaction Lab at Stanford University, where Dr David Markowitz was a Ph.D. student.

Acknowledgements

The authors thank Tobin Asher for their assistance with creating Figure 1.

References

Papers of particular interest, published within the period of review, have been highlighted as:

- * of special interest
- ** of outstanding interest

1. Blascovich J, Loomis J, Beall AC, Swinth KR, Hoyt CL, Bailenson JN: **Immersive virtual environment technology as a methodological tool for social psychology**. *Psychol Inq* 2002, **13**:103–124.
2. Sims T, Raposo S, Bailenson JN, Carstensen LL: **The future is now: age-progressed images motivate community college students to prepare for their financial futures**. *J Exp Psychol Appl* 2020, <https://doi.org/10.1037/xap0000275>.
3. Hershfield HE, Goldstein DG, Sharpe WF, Fox J, Yeykelis L, Carstensen LL, Bailenson JN: **Increasing saving behavior**

- through age-progressed renderings of the future self. *J Mark Res* 2011, **48**:S23–S37.
4. Herrera F, Bailenson JN, Weisz E, Ogle E, Zaki J: **Building long-term empathy: a large-scale comparison of traditional and virtual reality perspective-taking.** *PLoS One* 2018, **13**, e0204494.
 5. Markowitz DM, Laha R, Perone BP, Pea RD, Bailenson JN: **Immersive virtual reality field trips facilitate learning about climate change.** *Front Psychol* 2018, **9**:2364.
- This is one of the first large-scale studies to evaluate the efficacy of immersive VR for learning about climate change, specifically ocean acidification. Participants were drawn from a high school on the West Coast of the United States, a university subject pool, and attendees at the Tribeca Film Festival. All participants explored an underwater virtual reef, and, in general, those who explored more of the virtual world tended to learn more (or express an interest in learning more) about ocean acidification.
6. Parsons TD, Rizzo AA: **Affective outcomes of virtual reality exposure therapy for anxiety and specific phobias: a meta-analysis.** *J Behav Ther Exp Psychiatry* 2008, **39**:250–261.
 7. American Psychological Association: *Majority of US adults believe climate change is most important issue today.* 2020.
 8. Fauville G, Queiroz ACM, Bailenson JN: **Virtual reality as a promising tool to promote climate change awareness.** In *Technology and health: promoting attitude and behavior change.* Edited by Kim J, Song H, Elsevier; 2020:91–108.
 9. Bailenson JN: *Experience on demand: what virtual reality is, how it works, and what it can do.* 2018.
- VR has a long history as a tool to reveal, test, and examine psychological processes. This book traces the history of VR as a medium to reveal important psychological characteristics about people, such as their ability to take the perspective of another individual, care about environmental crises, and overcome psychological issues in VR. Affordances such as presence, immersion, and embodiment are positioned as crucial elements that help to create meaningful and impactful VR experiences.
10. IJsselstein W, De Kort Y, Midden G, Eggen B, Van Den Hoven E: **Persuasive technology for human well-being: setting the scene.** In *Lecture notes in computer science (including subseries lecture notes in artificial intelligence and lecture notes in bioinformatics).* Springer Verlag; 2006:1–5.
 11. Meijnders A, Midden C, McCalley T: **The persuasive power of mediated risk experiences.** In *Lecture notes in computer science (including subseries lecture notes in artificial intelligence and lecture notes in bioinformatics).* Springer Verlag; 2006:50–54.
 12. Dede C: **Immersive interfaces for engagement and learning.** *Science* 2009, **323**:66–69.
 13. Metcalf SJ, Kamarainen AM, Torres E, Grotzer TA, Dede C: **EcoMUVE: a case study on the affordances of MUVEs in ecosystem science education.** In *Integrating multi-user virtual environments in modern classrooms.* Edited by Qian JY, IGI Global; 2018:1–25.
 14. Sundar SS, Kang J, Oprean D: **Being there in the midst of the story: how immersive journalism affects our perceptions and cognitions.** *Cyberpsychol, Behav Soc Netw* 2017, **20**:672–682.
 15. Fonseca D, Kraus M: **A comparison of head-mounted and hand-held displays for 360° videos with focus on attitude and behavior change.** In *AcademicMindtrek 2016 - proceedings of the 20th international academic Mindtrek conference.* Association for Computing Machinery, Inc; 2016:287–296.
 16. Shin DH: **The role of affordance in the experience of virtual reality learning: technological and affective affordances in virtual reality.** *Telemat Inform* 2017, **34**:1826–1836.
 17. Lombard M, Ditton T: **At the heart of it all: the concept of presence.** *J Comput Commun* 1997, **3**. 0.
 18. Heeter C: **Being there: the subjective experience of presence.** *Presence Teleoperators Virtual Environ* 1992, **1**:262–271.
 19. Lee KM: **Presence, explicated.** *Commun Theory* 2004, **14**: 27–50.
 20. Cummings JJ, Bailenson JN: **How immersive is enough? A meta-analysis of the effect of immersive technology on user presence.** *Media Psychol* 2016, **19**:272–309.
 21. Slater M: **Implicit learning through embodiment in immersive virtual reality.** In *Virtual, augmented, and mixed realities in education, smart computing and intelligence.* Edited by Liu D, Dede C, Huang R, Richards J, Singapore: Springer; 2017:19–33.
 22. Biocca F: **The cyborg's dilemma: progressive embodiment in virtual environments.** *J Comput Commun* 1997, **3**. 0.
 23. Bente G, Krämer NC: **Virtual gestures. Embodiment and nonverbal behaviour in computer-mediated communication.** In *Face-to-face communication over the internet: issues, research, challenges.* Edited by Kappas A, Krämer NC, Cambridge University Press; 2011:176–209.
 24. Borrego A, Latorre J, Alcañiz M, Llorens R: **Embodiment and presence in virtual reality after stroke. A comparative study with healthy subjects.** *Front Neurol* 2019, **10**:1061.
 25. Hasler BS, Spanlang B, Slater M: **Virtual race transformation reverses racial in-group bias.** *PLoS One* 2017, **12**, e0174965.
 26. Botvinick M, Cohen J: **Rubber hands 'feel' touch that eyes see.** *Nature* 1998, **391**:756.
 27. Ehrsson HH, Spence C, Passingham RE: **That's my hand! Activity in premotor cortex reflects feeling of ownership of a limb.** *Science* 2004, **305**:875–877.
 28. Guskin E, Clement S, Achenbach J: *Americans broadly accept climate science, but many are fuzzy on the details.* Washington Post; 2019.
 29. Foss AW, Ko Y: **Barriers and opportunities for climate change education: the case of Dallas-Fort Worth in Texas.** *J Environ Educ* 2019, **50**:145–159.
 30. Fauville G, Queiroz ACM, Hambrick L, Brown BA, Bailenson JN: **Participatory research on using virtual reality to teach ocean acidification: a study in the marine education community.** *Environ Educ Res* 2020, <https://doi.org/10.1080/13504622.2020.1803797>.
 31. Klippel A, Zhao J, Oprean D, Wallgrün JO, Stubbs C, La Femina P, Jackson KL: **The value of being there: toward a science of immersive virtual field trips.** *Virtual Real* 2019, **1**:3.
- Events in immersive VR are often called field trips, which include short bursts of material that users are ordinarily unaccustomed to. Similar to field trips in the physical world, they are not meant for everyday experiences but instead aid in introducing new material, reinforcing learned material, or presenting material in a new way via the power of experience.
32. Queiroz ACM, Kamarainen AM, Preston ND, da Silva Leme MI: **Immersive virtual environments and climate change engagement.** In *Immersive learning research network conference 2018 Montana*; 2018:153–164.
 33. Mirauda D, Capece N, Erra U: **Sustainable water management: virtual reality training for open-channel flow monitoring.** *Sustainability* 2020, **12**:757.
- In this study, those who went through a water management training experience in VR completed the measurement procedure of water discharge flow faster than those who did not have the VR experience. VR trainees also had fewer mistakes in the measurement procedure compared with those who had non-VR training. Learning and training in VR can therefore improve user technical skills in environmental settings.
34. Bailey JO, Bailenson JN, Flora J, Armel KC, Voelker D, Reeves B: **The impact of vivid messages on reducing energy consumption related to hot water use.** *Environ Behav* 2015, **47**: 570–592.
 35. Hsu W-C, Tseng C-M, Kang S-C: **Using exaggerated feedback in a virtual reality environment to enhance behavior intention of water-conservation.** *Educ Technol Soc* 2018, **21**:187–203.
 36. Luk BL, Lam M-L, Chen T-H, Zhao J, Tsui SM, Chieng C-C: **3D immersive display application for nuclear education and public acceptance.** In *Proceedings of the 2018 26th International Conference on Nuclear engineering*; 2018:1–7.

37. Ke P, Keng KN, Jiang S, Cai S, Rong Z, Zhu K: **Embodied weather: promoting public understanding of extreme weather through immersive multi-sensory virtual reality**. In *Proceedings - VRCAI 2019: 17th ACM SIGGRAPH international conference on virtual-reality continuum and its applications in industry*. Association for Computing Machinery, Inc; 2019:1–2.
38. Trope Y, Liberman N: **Construal-level theory of psychological distance**. *Psychol Rev* 2010, **117**:440–463.
39. Brügger A, Morton TA, Dessai S: **“Proximising” climate change reconsidered: a construal level theory perspective**. *J Environ Psychol* 2016, **46**:125–142.
40. Schuldt JP, McComas KA, Byrne SE: **Communicating about ocean health: theoretical and practical considerations**. *Philos Trans R Soc B Biol Sci* 2016, **371**.
41. Chirico A, Scurati GW, Maffi C, Huang S, Graziosi S, Ferrise F, Gaggioli A: **Designing virtual environments for attitudes and behavioral change in plastic consumption: a comparison between concrete and numerical information**. *Virtual Real* 2020, <https://doi.org/10.1007/s10055-020-00442-w>.
- This recent piece evaluated how a VR experience can change the thoughts, feelings, and behaviors of plastic consumers. The representation of plastic consumption matters, as the authors observed people had more positive feelings toward the environment after seeing virtual water bottles piled high in VR compared with a number representing how much plastic is consumed by 10 people per year.
42. Fabrika M, Valent P, Scheer L: **Thinning trainer based on forest-growth model, virtual reality and computer-aided virtual environment**. *Environ Model Softw* 2018, **100**:11–23.
43. Pimentel D, Amaya R, Halan S, Kalyanaraman S, Bailenson J: **Climate change on your plate: a VR seafood buffet experience**. In *26th IEEE conference on virtual reality and 3D user interfaces, VR 2019 - proceedings*. Institute of Electrical and Electronics Engineers Inc.; 2019:1120–1121.
44. Kolb D, Kurtz W, Weismüller J, Ramm A von, Ludwig R, Kranzlmüller D: **Visualization of climate simulation data in virtual reality using commercial game engines**. In *Adjunct proceedings of the 32nd EnvironInfo conference*; 2018:39–45.
45. Tibaldi A, Bonali FL, Vitello F, Delage E, Nomikou P, Antoniou V, Becciani U, de Vries BVW, Krokos M, Whitworth M: **Real world-based immersive virtual reality for research, teaching and communication in volcanology**. *Bull Volcanol* 2020, **82**:1–12.
46. Mabrook R, Singer JB: **Virtual reality, 360° video, and journalism studies: conceptual approaches to immersive technologies**. *Journal Stud* 2019, **20**:2096–2112.
47. Greussing E: **Powered by immersion? Examining effects of 360-degree photography on knowledge acquisition and perceived message credibility of climate change news**. *Environ Commun* 2020, **14**:316–331.
48. Fan Y, Feng Z, Mannan A, Khan T, Shen C, Saeed S: **Estimating tree position, diameter at breast height, and tree height in real-time using a mobile phone with RGB-D SLAM**. *Remote Sens* 2018, **10**:1845.
49. La Salandra A, Fraternali P, Frajberg D: **A location-based virtual reality application for mountain peak detection**. In *The web conference 2018 - Companion of the world wide web conference, WWW 2018*. Association for Computing Machinery, Inc; 2018:1206–1214.
50. Ahn SJ, Bostick J, Ogle E, Nowak KL, McGillicuddy KT, Bailenson JN: **Experiencing nature: embodying animals in immersive virtual environments increases inclusion of nature in self and involvement with nature**. *J Comput Commun* 2016, **21**:399–419.
51. Duwan E, Choi F, Helmuth B: **Assessing the use of virtual reality technology in teaching marine ecological concepts**. *J STEM Outreach* 2019, **2**:1–11.
52. Nelson KM, Anggraini E, Schlüter A: **Virtual reality as a tool for environmental conservation and fundraising**. *PLoS One* 2020, **15**.
53. Bailenson JN: **Virtual reality can help politicians make responsible decisions about the environment**. *Natl Geogr Soc Newsroom* 2017. <https://blog.nationalgeographic.org/2017/10/25/virtual-reality-can-help-politicians-make-responsible-decisions-about-the-environment/>; 2017.
54. Stanford Ocean Acidification Experience: **The Stanford Ocean Acidification Experience on Steam**. *Steam* 2016. https://store.steampowered.com/app/409020/The_Stanford_Ocean_Acidification_Experience/; 2016.
55. van der Linden S, Leiserowitz A, Rosenthal S, Maibach E: **Inoculating the public against misinformation about climate change**. *Glob Chall* 2017, **1**:1600008.
56. Clark D, Ranney MA, Felipe J: **Knowledge helps: mechanistic information and numeric evidence as cognitive levers to overcome stasis and build public consensus on climate change**. In *Cooperative minds: social interaction and group dynamics. Proceedings of the 35th annual meeting of the cognitive science society*. Edited by Knauff M, Pauen M, Sebanz N, Wachsmuth I, Cognitive Science Society; 2013:2070–2075.
57. Ranney MA, Clark D: **Climate change conceptual change: scientific information can transform attitudes**. *Top Cogn Sci* 2016, **8**:49–75.